



PKCS #11 Cryptographic Token Interface Historical Mechanisms Specification Version 2.40 **Plus Errata 01**

OASIS Standard **Incorporating Approved Errata 01**

13 May 2016

Specification URIs

This version:

<http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/errata01/os/pkcs11-hist-v2.40-errata01-os-complete.doc> (Authoritative)
<http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/errata01/os/pkcs11-hist-v2.40-errata01-os-complete.html>
<http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/errata01/os/pkcs11-hist-v2.40-errata01-os-complete.pdf>

Previous version:

<http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/os/pkcs11-hist-v2.40-os.doc> (Authoritative)
<http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/os/pkcs11-hist-v2.40-os.html>
<http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/os/pkcs11-hist-v2.40-os.pdf>

Latest version:

<http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/pkcs11-hist-v2.40.doc> (Authoritative)
<http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/pkcs11-hist-v2.40.html>
<http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/pkcs11-hist-v2.40.pdf>

Technical Committee:

[OASIS PKCS 11 TC](#)

Chairs:

Valerie Fenwick (valerie.fenwick@oracle.com), Oracle
Robert Relyea (rrelyea@redhat.com), Red Hat

Editors:

Susan Gleeson (susan.gleeson@oracle.com), Oracle
Chris Zimman (chris@wmpp.com), Individual
Robert Griffin (robert.griffin@emc.com), EMC Corporation
Tim Hudson (tjh@cryptsoft.com), Cryptsoft Pty Ltd

Additional artifacts:

This prose specification is one component of a Work Product that also includes:

- *PKCS #11 Cryptographic Token Interface Historical Mechanisms Specification Version 2.40 Errata 01*. Edited by Robert Griffin and Tim Hudson. 13 May 2016. OASIS Approved Errata. <http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/errata01/os/pkcs11-hist-v2.40-errata01-os.html>.

Related work:

This specification replaces or supersedes:

- *PKCS #11 Cryptographic Token Interface Historical Mechanisms Specification Version 2.40*. Edited by Susan Gleeson and Chris Zimman. 14 April 2015. OASIS Standard. <http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/os/pkcs11-hist-v2.40-os.html>.

This specification is related to:

- Normative computer language definition files for PKCS #11 v2.40:
 - <http://docs.oasis-open.org/pkcs11/pkcs11-base/v2.40/errata01/os/include/pkcs11-v2.40/pkcs11.h>
 - <http://docs.oasis-open.org/pkcs11/pkcs11-base/v2.40/errata01/os/include/pkcs11-v2.40/pkcs11t.h>
 - <http://docs.oasis-open.org/pkcs11/pkcs11-base/v2.40/errata01/os/include/pkcs11-v2.40/pkcs11f.h>
- *PKCS #11 Cryptographic Token Interface Profiles Version 2.40*. Edited by Tim Hudson. Latest version: <http://docs.oasis-open.org/pkcs11/pkcs11-profiles/v2.40/pkcs11-profiles-v2.40.html>.
- *PKCS #11 Cryptographic Token Interface Current Mechanisms Specification Version 2.40 Plus Errata 01*. Edited by Susan Gleeson, Chris Zimman, Robert Griffin, and Tim Hudson. <http://docs.oasis-open.org/pkcs11/pkcs11-curr/v2.40/errata01/os/pkcs11-curr-v2.40-errata01-os-complete.html>.
- *PKCS #11 Cryptographic Token Interface Current Mechanisms Specification Version 2.40 Errata 01*. Edited by Robert Griffin and Tim Hudson. <http://docs.oasis-open.org/pkcs11/pkcs11-curr/v2.40/errata01/os/pkcs11-curr-v2.40-errata01-os.html>.
- *PKCS #11 Cryptographic Token Interface Base Specification Version 2.40 Plus Errata 01*. Edited by Susan Gleeson, Chris Zimman, Robert Griffin, and Tim Hudson. <http://docs.oasis-open.org/pkcs11/pkcs11-base/v2.40/errata01/os/pkcs11-base-v2.40-errata01-os-complete.html>.
- *PKCS #11 Cryptographic Token Interface Base Specification Version 2.40 Errata 01*. Edited by Robert Griffin and Tim Hudson. <http://docs.oasis-open.org/pkcs11/pkcs11-base/v2.40/errata01/os/pkcs11-base-v2.40-errata01-os.html>.
- *PKCS #11 Cryptographic Token Interface Usage Guide Version 2.40*. Edited by John Leiseboer and Robert Griffin. Latest version: <http://docs.oasis-open.org/pkcs11/pkcs11-ug/v2.40/pkcs11-ug-v2.40.html>.

Abstract:

This document defines mechanisms for PKCS #11 that are no longer in general use.

Status:

This document was last revised or approved by the membership of OASIS on the above date. The level of approval is also listed above. Check the "Latest version" location noted above for possible later revisions of this document. Any other numbered Versions and other technical work produced by the Technical Committee (TC) are listed at https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=pkcs11#technical.

TC members should send comments on this specification to the TC's email list. Others should send comments to the TC's public comment list, after subscribing to it by following the instructions at the "Send A Comment" button on the TC's web page at <https://www.oasis-open.org/committees/pkcs11/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<https://www.oasis-open.org/committees/pkcs11/ipr.php>).

Citation format:

When referencing this specification the following citation format should be used:

[PKCS11-Hist-v2.40]

PKCS #11 Cryptographic Token Interface Historical Mechanisms Specification Version 2.40 Plus Errata 01. Edited by Susan Gleeson, Chris Zimman, Robert Griffin and Tim Hudson. 13 May 2016. OASIS Standard Incorporating Approved Errata 01. <http://docs.oasis->

open.org/pkcs11/pkcs11-hist/v2.40/errata01/os/pkcs11-hist-v2.40-errata01-os-complete.html.
Latest version: <http://docs.oasis-open.org/pkcs11/pkcs11-hist/v2.40/pkcs11-hist-v2.40.html>.

Notices

Copyright © OASIS Open 2016. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark> for above guidance.

Table of Contents

1	Introduction	9
1.1	Description of this Document	9
1.2	Terminology	9
1.3	Definitions	9
1.4	Normative References	10
1.5	Non-Normative References	10
2	Mechanisms	13
2.1	PKCS #11 Mechanisms	13
2.2	FORTEZZA timestamp	16
2.3	KEA	16
2.3.1	Definitions	16
2.3.2	KEA mechanism parameters	16
2.3.2.1	CK_KEA_DERIVE_PARAMS; CK_KEA_DERIVE_PARAMS_PTR	16
2.3.3	KEA public key objects	17
2.3.4	KEA private key objects	18
2.3.5	KEA key pair generation	18
2.3.6	KEA key derivation	19
2.4	RC2	20
2.4.1	Definitions	20
2.4.2	RC2 secret key objects	20
2.4.3	RC2 mechanism parameters	21
2.4.3.1	CK_RC2_PARAMS; CK_RC2_PARAMS_PTR	21
2.4.3.2	CK_RC2_CBC_PARAMS; CK_RC2_CBC_PARAMS_PTR	21
2.4.3.3	CK_RC2_MAC_GENERAL_PARAMS; CK_RC2_MAC_GENERAL_PARAMS_PTR	21
2.4.4	RC2 key generation	22
2.4.5	RC2-ECB	22
2.4.6	RC2-CBC	23
2.4.7	RC2-CBC with PKCS padding	23
2.4.8	General-length RC2-MAC	24
2.4.9	RC2-MAC	24
2.5	RC4	25
2.5.1	Definitions	25
2.5.2	RC4 secret key objects	25
2.5.3	RC4 key generation	25
2.5.4	RC4 mechanism	26
2.6	RC5	26
2.6.1	Definitions	26
2.6.2	RC5 secret key objects	26
2.6.3	RC5 mechanism parameters	27
2.6.3.1	CK_RC5_PARAMS; CK_RC5_PARAMS_PTR	27
2.6.3.2	CK_RC5_CBC_PARAMS; CK_RC5_CBC_PARAMS_PTR	27
2.6.3.3	CK_RC5_MAC_GENERAL_PARAMS; CK_RC5_MAC_GENERAL_PARAMS_PTR	27
2.6.4	RC5 key generation	28
2.6.5	RC5-ECB	28

2.6.6 RC5-CBC.....	29
2.6.7 RC5-CBC with PKCS padding	29
2.6.8 General-length RC5-MAC	30
2.6.9 RC5-MAC	30
2.7 General block cipher	31
2.7.1 Definitions	31
2.7.2 DES secret key objects	32
2.7.3 CAST secret key objects	33
2.7.4 CAST3 secret key objects	33
2.7.5 CAST128 (CAST5) secret key objects	34
2.7.6 IDEA secret key objects	34
2.7.7 CDMF secret key objects	35
2.7.8 General block cipher mechanism parameters.....	35
2.7.8.1 CK_MAC_GENERAL_PARAMS; CK_MAC_GENERAL_PARAMS_PTR.....	35
2.7.9 General block cipher key generation.....	35
2.7.10 General block cipher ECB	36
2.7.11 General block cipher CBC.....	36
2.7.12 General block cipher CBC with PCKS padding.....	37
2.7.13 General-length general block cipher MAC	38
2.7.14 General block cipher MAC	38
2.8 SKIPJACK.....	39
2.8.1 Definitions	39
2.8.2 SKIPJACK secret key objects	39
2.8.3 SKIPJACK Mechanism parameters	40
2.8.3.1 CK_SKIPJACK_PRIVATE_WRAP_PARAMS; CK_SKIPJACK_PRIVATE_WRAP_PARAMS_PTR	40
2.8.3.2 CK_SKIPJACK_RELAYX_PARAMS; CK_SKIPJACK_RELAYX_PARAMS_PTR	41
2.8.4 SKIPJACK key generation	42
2.8.5 SKIPJACK-ECB64	42
2.8.6 SKIPJACK-CBC64	42
2.8.7 SKIPJACK-OFB64	42
2.8.8 SKIPJACK-CFB64.....	43
2.8.9 SKIPJACK-CFB32.....	43
2.8.10 SKIPJACK-CFB16.....	43
2.8.11 SKIPJACK-CFB8.....	44
2.8.12 SKIPJACK-WRAP	44
2.8.13 SKIPJACK-PRIVATE-WRAP	44
2.8.14 SKIPJACK-RELAYX.....	44
2.9 BATON.....	44
2.9.1 Definitions	44
2.9.2 BATON secret key objects	45
2.9.3 BATON key generation	45
2.9.4 BATON-ECB128	46
2.9.5 BATON-ECB96.....	46
2.9.6 BATON-CBC128	46
2.9.7 BATON-COUNTER	47
2.9.8 BATON-SHUFFLE	47

2.9.9 BATON WRAP	47
2.10 JUNIPER.....	47
2.10.1 Definitions.....	47
2.10.2 JUNIPER secret key objects	48
2.10.3 JUNIPER key generation	48
2.10.4 JUNIPER-ECB128	49
2.10.5 JUNIPER-CBC128	49
2.10.6 JUNIPER-COUNTER	49
2.10.7 JUNIPER-SHUFFLE	49
2.10.8 JUNIPER WRAP	50
2.11 MD2	50
2.11.1 Definitions.....	50
2.11.2 MD2 digest	50
2.11.3 General-length MD2-HMAC	50
2.11.4 MD2-HMAC	51
2.11.5 MD2 key derivation.....	51
2.12 MD5	51
2.12.1 Definitions.....	51
2.12.2 MD5 Digest.....	52
2.12.3 General-length MD5-HMAC	52
2.12.4 MD5-HMAC	52
2.12.5 MD5 key derivation.....	52
2.13 FASTHASH.....	53
2.13.1 Definitions.....	53
2.13.2 FASTHASH digest.....	53
2.14 PKCS #5 and PKCS #5-style password-based encryption (PBD)	53
2.14.1 Definitions.....	53
2.14.2 Password-based encryption/authentication mechanism parameters.....	54
2.14.2.1 CK_PBE_PARAMS; CK_PBE_PARAMS_PTR	54
2.14.3 MD2-PBE for DES-CBC	54
2.14.4 MD5-PBE for DES-CBC	54
2.14.5 MD5-PBE for CAST-CBC.....	55
2.14.6 MD5-PBE for CAST3-CBC.....	55
2.14.7 MD5-PBE for CAST128-CBC (CAST5-CBC).....	55
2.14.8 SHA-1-PBE for CAST128-CBC (CAST5-CBC).....	55
2.15 PKCS #12 password-based encryption/authentication mechanisms	56
2.15.1 Definitions.....	56
2.15.2 SHA-1-PBE for 128-bit RC4	56
2.15.3 SHA-1_PBE for 40-bit RC4	57
2.15.4 SHA-1_PBE for 128-bit RC2-CBC	57
2.15.5 SHA-1_PBE for 40-bit RC2-CBC	57
2.16 RIPE-MD.....	57
2.16.1 Definitions.....	57
2.16.2 RIPE-MD 128 Digest	58
2.16.3 General-length RIPE-MD 128-HMAC	58

2.16.4 RIPE-MD 128-HMAC	58
2.16.5 RIPE-MD 160	58
2.16.6 General-length RIPE-MD 160-HMAC	59
2.16.7 RIPE-MD 160-HMAC	59
2.17 SET	59
2.17.1 Definitions	59
2.17.2 SET mechanism parameters	59
2.17.2.1 CK_KEY_WRAP_SET_OAEP_PARAMS; CK_KEY_WRAP_SET_OAEP_PARAMS_PTR	59
2.17.3 OAEP key wrapping for SET	60
2.18 LYNKS	60
2.18.1 Definitions	60
2.18.2 LYNKS key wrapping	60
3 PKCS #11 Implementation Conformance	61
Appendix A. Acknowledgments	62
Appendix B. Manifest constants	65
Appendix C. Revision History	68

1 Introduction

1.1 Description of this Document

This document defines historical PKCS#11 mechanisms, that is, mechanisms that were defined for earlier versions of PKCS #11 but are no longer in general use

All text is normative unless otherwise labeled.

1.2 Terminology

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

1.3 Definitions

For the purposes of this standard, the following definitions apply. Please refer to [PKCS#11-Base] for further definitions

BATON	MISSI's BATON block cipher.
CAST	Entrust Technologies' proprietary symmetric block cipher
CAST3	Entrust Technologies' proprietary symmetric block cipher
CAST5	Another name for Entrust Technologies' symmetric block cipher CAST128. CAST128 is the preferred name.
CAST128	Entrust Technologies' symmetric block cipher.
CDMF	Commercial Data Masking Facility, a block encipherment method specified by International Business Machines Corporation and based on DES.
CMS	Cryptographic Message Syntax (see RFC 3369)
DES	Data Encryption Standard, as defined in FIPS PUB 46-3
ECB	Electronic Codebook mode, as defined in FIPS PUB 81.
FASTHASH	MISSI's FASTHASH message-digesting algorithm.
IDEA	Ascom Systec's symmetric block cipher.
IV	Initialization Vector.
JUNIPER	MISSI's JUNIPER block cipher.
KEA	MISSI's Key Exchange Algorithm.
LYNKS	A smart card manufactured by SPYRUS.
MAC	Message Authentication Code
MD2	RSA Security's MD2 message-digest algorithm, as defined in RFC 6149.
MD5	RSA Security's MD5 message-digest algorithm, as defined in RFC 1321.
PRF	Pseudo random function.

38	RSA	The RSA public-key cryptosystem.
39	RC2	RSA Security's RC2 symmetric block cipher.
40	RC4	RSA Security's proprietary RC4 symmetric stream cipher.
41	RC5	RSA Security's RC5 symmetric block cipher.
42	SET	The Secure Electronic Transaction protocol.
43	SHA-1	The (revised) Secure Hash Algorithm with a 160-bit message digest,
44		as defined in FIPS PUB 180-2.
45	SKIPJACK	MISSI's SKIPJACK block cipher.

46 1.4 Normative References

47	[PKCS #11-Base]	<i>PKCS #11 Cryptographic Token Interface Base Specification Version 2.40.</i>
48		Edited by Susan Gleeson and Chris Zimman. Latest version. http://docs.oasis-
49		open.org/pkcs11/pkcs11-base/v2.40/pkcs11-base-v2.40.html .
50	[PKCS #11-Curr]	<i>PKCS #11 Cryptographic Token Interface Current Mechanisms Specification</i>
51		<i>Version 2.40.</i> Edited by Susan Gleeson and Chris Zimman. Latest version.
52		http://docs.oasis-open.org/pkcs11/pkcs11-curr/v2.40/pkcs11-curr-v2.40.html .
53	[PKCS #11-Prof]	<i>PKCS #11 Cryptographic Token Interface Profiles Version 2.40.</i> Edited by Tim
54		Hudson. Latest version. http://docs.oasis-open.org/pkcs11/pkcs11-
55		profiles/v2.40/pkcs11-profiles-v2.40.html .
56	[RFC2119]	Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP
57		14, RFC 2119, March 1997. http://www.ietf.org/rfc/rfc2119.txt .

58 1.5 Non-Normative References

59	[ANSI C]	ANSI/ISO. American National Standard for Programming Languages – C. 1990
60	[ANSI X9.31]	Accredited Standards Committee X9. Digital Signatures Using Reversible Public
61		Key Cryptography for the Financial Services Industry (rDSA). 1998.
62	[ANSI X9.42]	Accredited Standards Committee X9. Public Key Cryptography for the Financial
63		Services Industry: Agreement of Symmetric Keys Using Discrete Logarithm
64		Cryptography. 2003
65	[ANSI X9.62]	Accredited Standards Committee X9. Public Key Cryptography for the Financial
66		Services Industry: The Elliptic Curve Digital Signature Algorithm (ECDSA). 1998
67	[CC/PP]	G. Klyne, F. Reynolds, C. , H. Ohto, J. Hjelm, M. H. Butler, L. Tran, Editors,
68		<i>W3C. Composite Capability/Preference Profiles (CC/PP): Structure and</i>
69		<i>Vocabularies.</i> 2004, URL: http://www.w3.org/TR/2004/REC-CCPP-struct-
70		vocab-20040115/
71	[CDPD]	Ameritech Mobile Communications et al. Cellular Digital Packet Data System
72		Specifications: Part 406: Airlink Security. 1993
73	[FIPS PUB 46-3]	NIST. <i>FIPS 46-3: Data Encryption Standard (DES).</i> October 26, 1999. URL:
74		http://csrc.nist.gov/publications/fips/index.html
75	[FIPS PUB 81]	NIST. <i>FIPS 81: DES Modes of Operation.</i> December 1980. URL:
76		http://csrc.nist.gov/publications/fips/index.html
77	[FIPS PUB 113]	NIST. <i>FIPS 113: Computer Data Authentication.</i> May 30, 1985. URL:
78		http://csrc.nist.gov/publications/fips/index.html
79	[FIPS PUB 180-2]	NIST. <i>FIPS 180-2: Secure Hash Standard.</i> August 1, 2002. URL:
80		http://csrc.nist.gov/publications/fips/index.html
81	[FORTEZZA CIPG]	NSA, Workstation Security Products. <i>FORTEZZA Cryptologic Interface</i>
82		<i>Programmers Guide, Revision 1.52.</i> November 1985
83	[GCS-API]	X/Open Company Ltd. Generic Cryptographic Service API (GCS-API), Base –
84		Draft 2. February 14, 1995.

- [ISO/IEC 7816-1] ISO/IEC 7816-1:2011. *Identification Cards – Integrated circuit cards -- Part 1: Cards with contacts -- Physical Characteristics*. 2011 URL: http://www.iso.org/iso/catalogue_detail.htm?csnumber=54089.
- [ISO/IEC 7816-4] ISO/IEC 7816-4:2013. *Identification Cards – Integrated circuit cards – Part 4: Organization, security and commands for interchange*. 2013. URL: http://www.iso.org/iso/catalogue_detail.htm?csnumber=54550.
- [ISO/IEC 8824-1] ISO/IEC 8824-1:2008. *Abstract Syntax Notation One (ASN.1): Specification of Base Notation*. 2002. URL: http://www.iso.org/iso/home/store/catalogue_tc/catalogue_detail.htm?csnumber=54012
- [ISO/IEC 8825-1] ISO/IEC 8825-1:2008. *Information Technology – ASN.1 Encoding Rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER), and Distinguished Encoding Rules (DER)*. 2008. URL: http://www.iso.org/iso/home/store/catalogue_ics/catalogue_detail_ics.htm?csnumber=54011&ics1=35&ics2=100&ics3=60
- [ISO/IEC 9594-1] ISO/IEC 9594-1:2008. *Information Technology – Open System Interconnection – The Directory: Overview of Concepts, Models and Services*. 2008. URL: http://www.iso.org/iso/catalogue_detail.htm?csnumber=53364
- [ISO/IEC 9594-8] ISO/IEC 9594-8:2008. *Information Technology – Open Systems Interconnection – The Directory: Public-key and Attribute Certificate Frameworks*. 2008 URL: http://www.iso.org/iso/catalogue_detail.htm?csnumber=53372
- [ISO/IEC 9796-2] ISO/IEC 9796-2:2010. *Information Technology – Security Techniques – Digital Signature Scheme Giving Message Recovery – Part 2: Integer factorization based mechanisms*. 2010. URL: http://www.iso.org/iso/catalogue_detail.htm?csnumber=54788
- [Java MIDP] Java Community Process. *Mobile Information Device Profile for Java 2 Micro Edition*. November 2002. URL: <http://jcp.org/jsr/detail/118.jsp>
- [MeT-PTD] MeT. *MeT PTD Definition – Personal Trusted Device Definition, Version 1.0*. February 2003. URL: <http://www.mobiletransaction.org>
- [PCMCIA] Personal Computer Memory Card International Association. *PC Card Standard, Release 2.1*. July 1993.
- [PKCS #1] RSA Laboratories. *RSA Cryptography Standard, v2.1*. June 14, 2002 URL: <ftp://ftp.rsasecurity.com/pub/pkcs/pkcs-1/pkcs-1v2-1.pdf>
- [PKCS #3] RSA Laboratories. *Diffie-Hellman Key-Agreement Standard, v1.4*. November 1993.
- [PKCS #5] RSA Laboratories. *Password-Based Encryption Standard, v2.0*. March 26, 1999. URL: <ftp://ftp.rsasecurity.com/pub/pkcs/pkcs-5v2/pkcs-5v2-0a1.pdf>
- [PKCS #7] RSA Laboratories. *Cryptographic Message Syntax Standard, v1.6*. November 1997 URL : <ftp://ftp.rsasecurity.com/pub/pkcs/pkcs-7/pkcs-7v16.pdf>
- [PKCS #8] RSA Laboratories. *Private-Key Information Syntax Standard, v1.2*. November 1993. URL : ftp://ftp.rsasecurity.com/pub/pkcs/pkcs-8/pkcs-8v1_2.asn
- [PKCS #11-UG] PKCS #11 Cryptographic Token Interface Usage Guide Version 2.40. Edited by John Leiseboer and Robert Griffin. Latest version. <http://docs.oasis-open.org/pkcs11/pkcs11-ug/v2.40/pkcs11-ug-v2.40.html>.
- [PKCS #12] RSA Laboratories. *Personal Information Exchange Syntax Standard, v1.0*. June 1999. URL: <ftp://ftp.rsasecurity.com/pub/pkcs/pkcs-12/pkcs-12v1.pdf>
- [RFC 1321] R. Rivest. *RFC 1321: The MD5 Message-Digest Algorithm*. MIT Laboratory for Computer Science and RSA Data Security, Inc., April 1992. URL: <http://www.rfc-editor.org/rfc/rfc1321.txt>

138	[RFC 3369]	R. Houseley. <i>RFC 3369: Cryptographic Message Syntax (CMS)</i> . August 2002. URL: http://www.rfc-editor.org/rfc/rfc3369.txt
139		
140	[RFC 6149]	S. Turner and L. Chen. <i>RFC 6149: MD2 to Historic Status</i> . March, 2011. URL: http://www.rfc-editor.org/rfc/rfc6149.txt
141		
142	[SEC-1]	Standards for Efficient Cryptography Group (SECG). <i>Standards for Efficient Cryptography (SEC) 1: Elliptic Curve Cryptography</i> . Version 1.0, September 20, 2000.
143		
144		
145	[SEC-2]	Standards for Efficient cryptography Group (SECG). <i>Standards for Efficient Cryptography (SEC) 2: Recommended Elliptic Curve Domain Parameters</i> . Version 1.0, September 20, 2000.
146		
147		
148	[TLS]	IETF. <i>RFC 2246: The TLS Protocol Version 1.0</i> . January 1999. URL: http://ietf.org/rfc/rfc2256.txt
149		
150	[WIM]	WAP. <i>Wireless Identity Module</i> . – WAP-260-WIP-20010712.a. July 2001. URL: http://technical.openmobilealliance.org/tech/affiliates/LicenseAgreement.asp?DocName=/wap/wap-260-wim-20010712-a.pdf
151		
152		
153	[WPKI]	WAP. <i>Wireless Application Protocol: Public Key Infrastructure Definition</i> . – WAP-217-WPKI-20010424-a. April 2001. URL: http://technical.openmobilealliance.org/tech/affiliates/LicenseAgreement.asp?DocName=/wap/wap-217-wpki-20010424-a.pdf
154		
155		
156		
157	[WTLS]	WAP. <i>Wireless Transport Layer Security Version</i> – WAP-261-WTLS-20010406-a. April 2001. URL: http://technical.openmobilealliance.org/tech/affiliates/LicenseAgreement.asp?DocName=/wap/wap-261-wtls-20010406-a.pdf
158		
159		
160		
161	[X.500]	ITU-T. Information Technology – Open Systems Interconnection –The Directory: Overview of Concepts, Models and Services. February 2001. (Identical to ISO/IEC 9594-1)
162		
163		
164	[X.509]	ITU-T. Information Technology – Open Systems Interconnection – The Directory: Public-key and Attribute Certificate Frameworks. March 2000. (Identical to ISO/IEC 9594-8)
165		
166		
167	[X.680]	ITU-T. Information Technology – Abstract Syntax Notation One (ASN.1): Specification of Basic Notation. July 2002. (Identical to ISO/IEC 8824-1)
168		
169	[X.690]	ITU-T. Information Technology – ASN.1 Encoding Rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER), and Distinguished Encoding Rules (DER). July 2002. (Identical to ISO/IEC 8825-1)
170		
171		

2 Mechanisms

2.1 PKCS #11 Mechanisms

A mechanism specifies precisely how a certain cryptographic process is to be performed. PKCS #11 implementations MAY use one or more mechanisms defined in this document.

The following table shows which Cryptoki mechanisms are supported by different cryptographic operations. For any particular token, of course, a particular operation MAY support only a subset of the mechanisms listed. There is also no guarantee that a token which supports one mechanism for some operation supports any other mechanism for any other operation (or even supports that same mechanism for any other operation). For example, even if a token is able to create RSA digital signatures with the **CKM_RSA_PKCS** mechanism, it may or may not be the case that the same token MAY also perform RSA encryption with **CKM_RSA_PKCS**.

Table 1, Mechanisms vs. Functions

Mechanism	Functions						
	Encrypt & Decrypt	Sign & Verify	SR & VR ¹	Digest	Gen. Key/ Key Pair	Wrap & Unwrap	Derive
CKM_FORTEZZA_TIMESTAMP		X ²					
CKM_KEA_KEY_PAIR_GEN					X		
CKM_KEA_KEY_DERIVE							X
CKM_RC2_KEY_GEN					X		
CKM_RC2_ECB	X					X	
CKM_RC2_CBC	X					X	
CKM_RC2_CBC_PAD	X					X	
CKM_RC2_MAC_GENERAL		X					
CKM_RC2_MAC		X					
CKM_RC4_KEY_GEN					X		
CKM_RC4	X						
CKM_RC5_KEY_GEN					X		
CKM_RC5_ECB	X					X	
CKM_RC5_CBC	X					X	
CKM_RC5_CBC_PAD	X					X	
CKM_RC5_MAC_GENERAL		X					
CKM_RC5_MAC		X					
CKM_DES_KEY_GEN					X		
CKM_DES_ECB	X					X	
CKM_DES_CBC	X					X	
CKM_DES_CBC_PAD	X					X	
CKM_DES_MAC_GENERAL		X					
CKM_DES_MAC		X					
CKM_CAST_KEY_GEN					X		
CKM_CAST_ECB	X					X	
CKM_CAST_CBC	X					X	
CKM_CAST_CBC_PAD	X					X	

Mechanism	Functions						
	Encrypt & Decrypt	Sign & Verify	SR & VR ¹	Digest	Gen. Key/ Key Pair	Wrap & Unwrap	Derive
CKM_CAST_MAC_GENERAL		X					
CKM_CAST_MAC		X					
CKM_CAST3_KEY_GEN					X		
CKM_CAST3_ECB	X					X	
CKM_CAST3_CBC	X					X	
CKM_CAST3_CBC_PAD	X					X	
CKM_CAST3_MAC_GENERAL		X					
CKM_CAST3_MAC		X					
CKM_CAST128_KEY_GEN (CKM_CAST5_KEY_GEN)					X		
CKM_CAST128_ECB (CKM_CAST5_ECB)	X					X	
CKM_CAST128_CBC (CKM_CAST5_CBC)	X					X	
CKM_CAST128_CBC_PAD (CKM_CAST5_CBC_PAD)	X					X	
CKM_CAST128_MAC_GENERAL (CKM_CAST5_MAC_GENERAL)		X					
CKM_CAST128_MAC (CKM_CAST5_MAC)		X					
CKM_IDEA_KEY_GEN					X		
CKM_IDEA_ECB	X					X	
CKM_IDEA_CBC	X					X	
CKM_IDEA_CBC_PAD	X					X	
CKM_IDEA_MAC_GENERAL		X					
CKM_IDEA_MAC		X					
CKM_CDMF_KEY_GEN					X		
CKM_CDMF_ECB	X					X	
CKM_CDMF_CBC	X					X	
CKM_CDMF_CBC_PAD	X					X	
CKM_CDMF_MAC_GENERAL		X					
CKM_CDMF_MAC		X					
CKM_SKIPJACK_KEY_GEN					X		
CKM_SKIPJACK_ECB64	X						
CKM_SKIPJACK_CBC64	X						
CKM_SKIPJACK_OF64	X						
CKM_SKIPJACK_CFB64	X						
CKM_SKIPJACK_CFB32	X						
CKM_SKIPJACK_CFB16	X						
CKM_SKIPJACK_CFB8	X						
CKM_SKIPJACK_WRAP						X	
CKM_SKIPJACK_PRIVATE_WRAP						X	
CKM_SKIPJACK_RELAYX						X ³	
CKM_BATON_KEY_GEN					X		
CKM_BATON_ECB128	X						
CKM_BATON_ECB96	X						

Mechanism	Functions						
	Encrypt & Decrypt	Sign & Verify	SR & VR ¹	Digest	Gen. Key/ Key Pair	Wrap & Unwrap	Derive
CKM_BATON_CBC128	X						
CKM_BATON_COUNTER	X						
CKM_BATON_SHUFFLE	X						
CKM_BATON_WRAP						X	
CKM_JUNIPER_KEY_GEN					X		
CKM_JUNIPER_ECB128	X						
CKM_JUNIPER_CBC128	X						
CKM_JUNIPER_COUNTER	X						
CKM_JUNIPER_SHUFFLE	X						
CKM_JUNIPER_WRAP						X	
CKM_MD2				X			
CKM_MD2_HMAC_GENERAL		X					
CKM_MD2_HMAC		X					
CKM_MD2_KEY_DERIVATION							X
CKM_MD5				X			
CKM_MD5_HMAC_GENERAL		X					
CKM_MD5_HMAC		X					
CKM_MD5_KEY_DERIVATION							X
CKM_RIPEMD128				X			
CKM_RIPEMD128_HMAC_GENERAL		X					
CKM_RIPEMD128_HMAC		X					
CKM_RIPEMD160				X			
CKM_RIPEMD160_HMAC_GENERAL		X					
CKM_RIPEMD160_HMAC		X					
CKM_FASTHASH				X			
CKM_PBE_MD2_DES_CBC					X		
CKM_PBE_MD5_DES_CBC					X		
CKM_PBE_MD5_CAST_CBC					X		
CKM_PBE_MD5_CAST3_CBC					X		
CKM_PBE_MD5_CAST128_CBC (CKM_PBE_MD5_CAST5_CBC)					X		
CKM_PBE_SHA1_CAST128_CBC (CKM_PBE_SHA1_CAST5_CBC)					X		
CKM_PBE_SHA1_RC4_128					X		
CKM_PBE_SHA1_RC4_40					X		
CKM_PBE_SHA1_RC2_128_CBC					X		
CKM_PBE_SHA1_RC2_40_CBC					X		
CKM_PBA_SHA1_WITH_SHA1_HMAC					X		
CKM_KEY_WRAP_SET_OAEP						X	
CKM_KEY_WRAP_LYNKS						X	

¹ SR = SignRecover, VR = VerifyRecover.

² Single-part operations only.

³ Mechanism MUST only be used for wrapping, not unwrapping.

The remainder of this section presents in detail the mechanisms supported by Cryptoki and the parameters which are supplied to them.

In general, if a mechanism makes no mention of the *ulMinKeyLen* and *ulMaxKeyLen* fields of the CK_MECHANISM_INFO structure, then those fields have no meaning for that particular mechanism.

2.2 FORTEZZA timestamp

The FORTEZZA timestamp mechanism, denoted **CKM_FORTEZZA_TIMESTAMP**, is a mechanism for single-part signatures and verification. The signatures it produces and verifies are DSA digital signatures over the provided hash value and the current time.

It has no parameters.

Constraints on key types and the length of data are summarized in the following table. The input and output data MAY begin at the same location in memory.

Table 2, FORTEZZA Timestamp: Key and Data Length

Function	Key type	Input Length	Output Length
C_Sign ¹	DSA private key	20	40
C_Verify ¹	DSA public key	20,40 ²	N/A

¹ Single-part operations only

² Data length, signature length

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the CK_MECHANISM_INFO structure specify the supported range of DSA prime sizes, in bits.

2.3 KEA

2.3.1 Definitions

This section defines the key type “CKK_KEA” for type CK_KEY_TYPE as used in the CKA_KEY_TYPE attribute of key objects.

Mechanisms:

CKM_KEA_KEY_PAIR_GEN

CKM_KEA_KEY_DERIVE

2.3.2 KEA mechanism parameters

2.3.2.1 CK_KEA_DERIVE_PARAMS; CK_KEA_DERIVE_PARAMS_PTR

CK_KEA_DERIVE_PARAMS is a structure that provides the parameters to the **CKM_KEA_DERIVE** mechanism. It is defined as follows:

```
typedef struct CK_KEA_DERIVE_PARAMS {
    CK_BBOOL isSender;
    CK_ULONG ulRandomLen;
    CK_BYTE_PTR pRandomA;
    CK_BYTE_PTR pRandomB;
    CK_ULONG ulPublicDataLen;
    CK_BYTE_PTR pPublicData;
} CK_KEA_DERIVE_PARAMS;
```

The fields of the structure have the following meanings:

227 *isSender* Option for generating the key (called a TEK). The value
 228 is CK_TRUE if the sender (originator) generates the
 229 TEK, CK_FALSE if the recipient is regenerating the TEK

230 *ulRandomLen* the size of random Ra and Rb in bytes

231 *pRandomA* pointer to Ra data

232 *pRandomB* pointer to Rb data

233 *ulPublicDataLen* other party's KEA public key size

234 *pPublicData* pointer to other party's KEA public key value

235 **CK_KEA_DERIVE_PARAMS_PTR** is a pointer to a **CK_KEA_DERIVE_PARAMS**.

236 2.3.3 KEA public key objects

237 KEA public key objects (object class **CKO_PUBLIC_KEY**, key type **CKK_KEA**) hold KEA public keys.
 238 The following table defines the KEA public key object attributes, in addition to the common attributes
 239 defined for this object class:

240 Table 3, KEA Public Key Object Attributes

Attribute	Data type	Meaning
CKA_PRIME ^{1,3}	Big integer	Prime p (512 to 1024 bits, in steps of 64 bits)
CKA_SUBPRIME ^{1,3}	Big integer	Subprime q (160 bits)
CKA_BASE ^{1,3}	Big integer	Base g (512 to 1024 bits, in steps of 64 bits)
CKA_VALUE ^{1,4}	Big integer	Public value y

241 Refer to [PKCS #11-Base] table 10 for footnotes

242 The **CKA_PRIME**, **CKA_SUBPRIME** and **CKA_BASE** attribute values are collectively the "KEA domain
 243 parameters".

244 The following is a sample template for creating a KEA public key object:

```

245 CK_OBJECT_CLASS class = CKO_PUBLIC_KEY;
246 CK_KEY_TYPE keyType = CKK_KEA;
247 CK_UTF8CHAR label[] = "A KEA public key object";
248 CK_BYTE prime[] = {...};
249 CK_BYTE subprime[] = {...};
250 CK_BYTE base[] = {...};
251 CK_BYTE value[] = {...};
252 CK_ATTRIBUTE template[] = {
253     {CKA_CLASS, &class, sizeof(class)},
254     {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
255     {CKA_TOKEN, &true, sizeof(true)},
256     {CKA_LABEL, label, sizeof(label)-1},
257     {CKA_PRIME, prime, sizeof(prime)},
258     {CKA_SUBPRIME, subprime, sizeof(subprime)},
259     {CKA_BASE, base, sizeof(base)},
260     {CKA_VALUE, value, sizeof(value)}
261 };

```

262

2.3.4 KEA private key objects

KEA private key objects (object class **CKO_PRIVATE_KEY**, key type **CKK_KEA**) hold KEA private keys. The following table defines the KEA private key object attributes, in addition to the common attributes defined for this object class:

Table 4, KEA Private Key Object Attributes

Attribute	Data type	Meaning
CKA_PRIME ^{1,4,6}	Big integer	Prime p (512 to 1024 bits, in steps of 64 bits)
CKA_SUBPRIME ^{1,4,6}	Big integer	Subprime q (160 bits)
CKA_BASE ^{1,4,6}	Big integer	Base g (512 to 1024 bits, in steps of 64 bits)
CKA_VALUE ^{1,4,6,7}	Big integer	Private value x

Refer to [PKCS #11-Base] table 10 for footnotes

The **CKA_PRIME**, **CKA_SUBPRIME** and **CKA_BASE** attribute values are collectively the “KEA domain parameters”.

Note that when generating a KEA private key, the KEA parameters are *not* specified in the key's template. This is because KEA private keys are only generated as part of a KEA key pair, and the KEA parameters for the pair are specified in the template for the KEA public key.

The following is a sample template for creating a KEA private key object:

```
CK_OBJECT_CLASS class = CKO_PRIVATE_KEY;
CK_KEY_TYPE keyType = CKK_KEA;
CK_UTF8CHAR label[] = "A KEA private key object";
CK_BYTE subject[] = {...};
CK_BYTE id[] = {123};
CK_BYTE prime[] = {...};
CK_BYTE subprime[] = {...};
CK_BYTE base[] = {...};
CK_BYTE value[] = {...};
CK_BBOOL true = CK_TRUE;
CK_ATTRIBUTE template[] = {
    {CKA_CLASS, &class, sizeof(class)},
    {CKA_KEY_TYPE, &keyType, sizeof(keyType)}, Algorithm, as defined by NISTS
    {CKA_TOKEN, &true, sizeof(true)},
    {CKA_LABEL, label, sizeof(label) - 1},
    {CKA_SUBJECT, subject, sizeof(subject)},
    {CKA_ID, id, sizeof(id)},
    {CKA_SENSITIVE, &true, sizeof(true)},
    {CKA_DERIVE, &true, sizeof(true)},
    {CKA_PRIME, prime, sizeof(prime)},
    {CKA_SUBPRIME, subprime, sizeof(subprime)},
    {CKA_BASE, base, sizeof(base)},
    {CKA_VALUE, value, sizeof(value)}
};
```

2.3.5 KEA key pair generation

The KEA key pair generation mechanism, denoted **CKM_KEA_KEY_PAIR_GEN**, generates key pairs for the Key Exchange Algorithm, as defined by NIST's “SKIPJACK and KEA Algorithm Specification Version 2.0”, 29 May 1998.

It does not have a parameter.

The mechanism generates KEA public/private key pairs with a particular prime, subprime and base, as specified in the **CKA_PRIME**, **CKA_SUBPRIME**, and **CKA_BASE** attributes of the template for the public

key. Note that this version of Cryptoki does not include a mechanism for generating these KEA domain parameters.

The mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE** and **CKA_VALUE** attributes to the new public key and the **CKA_CLASS**, **CKA_KEY_TYPE**, **CKA_PRIME**, **CKA_SUBPRIME**, **CKA_BASE**, and **CKA_VALUE** attributes to the new private key. Other attributes supported by the KEA public and private key types (specifically, the flags indicating which functions the keys support) MAY also be specified in the templates for the keys, or else are assigned default initial values.

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of KEA prime sizes, in bits.

2.3.6 KEA key derivation

The KEA key derivation mechanism, denoted **CKM_DEAKEA_DERIVE**, is a mechanism for key derivation based on KEA, the Key Exchange Algorithm, as defined by NIST's "SKIPJACK and KEA Algorithm Specification Version 2.0", 29 May 1998.

It has a parameter, a **CK_KEA_DERIVE_PARAMS** structure.

This mechanism derives a secret value, and truncates the result according to the **CKA_KEY_TYPE** attribute of the template and, if it has one and the key type supports it, the **CKA_VALUE_LEN** attribute of the template. (The truncation removes bytes from the leading end of the secret value.) The mechanism contributes the result as the **CKA_VALUE** attribute of the new key; other attributes required by the key type must be specified in the template.

As defined in the Specification, KEA MAY be used in two different operational modes: full mode and e-mail mode. Full mode is a two-phase key derivation sequence that requires real-time parameter exchange between two parties. E-mail mode is a one-phase key derivation sequence that does not require real-time parameter exchange. By convention, e-mail mode is designated by use of a fixed value of one (1) for the KEA parameter *R_b* (*pRandomB*).

The operation of this mechanism depends on two of the values in the supplied **CK_KEA_DERIVE_PARAMS** structure, as detailed in the table below. Note that in all cases, the data buffers pointed to by the parameter structure fields *pRandomA* and *pRandomB* must be allocated by the caller prior to invoking **C_DeriveKey**. Also, the values pointed to by *pRandomA* and *pRandomB* are represented as Cryptoki "Big integer" data (i.e., a sequence of bytes, most significant byte first).

Table 5, KEA Parameter Values and Operations

Value of boolean <i>isSender</i>	Value of big integer <i>pRandomB</i>	Token Action (after checking parameter and template values)
CK_TRUE	0	Compute KEA <i>R_a</i> value, store it in <i>pRandomA</i> , return CKR_OK. No derived key object is created.
CK_TRUE	1	Compute KEA <i>R_a</i> value, store it in <i>pRandomA</i> , derive key value using e-mail mode, create key object, return CKR_OK.
CK_TRUE	>1	Compute KEA <i>R_a</i> value, store it in <i>pRandomA</i> , derive key value using full mode, create key object, return CKR_OK
CK_FALSE	0	Compute KEA <i>R_b</i> value, store it in <i>pRandomB</i> , return CKR_OK. No derived key object is created.
CK_FALSE	1	Derive key value using e-mail mode, create key object, return CKR_OK.
CK_FALSE	>1	Derive key value using full mode, create key object, return CKR_OK.

Note that the parameter value *pRandomB* == 0 is a flag that the KEA mechanism is being invoked to compute the party's public random value (*R_a* or *R_b*, for sender or recipient, respectively), not to derive a

key. In these cases, any object template supplied as the **C_DeriveKey** *pTemplate* argument should be ignored.

This mechanism has the following rules about key sensitivity and extractability*:

- The **CKA_SENSITIVE** and **CKA_EXTRACTABLE** attributes in the template for the new key MAY both be specified to be either CK_TRUE or CK_FALSE. If omitted, these attributes each take on some default value.
- If the base key has its **CKA_ALWAYS_SENSITIVE** attribute set to CK_FALSE, then the derived key MUST as well. If the base key has its **CKA_ALWAYS_SENSITIVE** attribute set to CK_TRUE, then the derived has its **CKA_ALWAYS_SENSITIVE** attribute set to the same value as its **CKA_SENSITIVE** attribute.
- Similarly, if the base key has its **CKA_NEVER_EXTRACTABLE** attribute set to CK_FALSE, then the derived key MUST, too. If the base key has its **CKA_NEVER_EXTRACTABLE** attribute set to CK_TRUE, then the derived key has its **CKA_NEVER_EXTRACTABLE** attribute set to the *opposite* value from its **CKA_EXTRACTABLE** attribute.

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of KEA prime sizes, in bits.

2.4 RC2

2.4.1 Definitions

RC2 is a block cipher which is trademarked by RSA Security. It has a variable keysize and an additional parameter, the “effective number of bits in the RC2 search space”, which MAY take on values in the range 1-1024, inclusive. The effective number of bits in the RC2 search space is sometimes specified by an RC2 “version number”; this “version number” is *not* the same thing as the “effective number of bits”, however. There is a canonical way to convert from one to the other.

This section defines the key type “CKK_RC2” for type CK_KEY_TYPE as used in the CKA_KEY_TYPE attribute of key objects.

Mechanisms:

CKM_RC2_KEY_GEN
CKM_RC2_ECB
CKM_RC2_CBC
CKM_RC2_MAC
CKM_RC2_MAC_GENERAL
CKM_RC2_CBC_PAD

2.4.2 RC2 secret key objects

RC2 secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_RC2**) hold RC2 keys. The following table defines the RC2 secret key object attributes, in addition to the common attributes defined for this object class:

Table 6, RC2 Secret Key Object Attributes

* Note that the rules regarding the **CKA_SENSITIVE**, **CKA_EXTRACTABLE**, **CKA_ALWAYS_SENSITIVE**, and **CKA_NEVER_EXTRACTABLE** attributes have changed in version 2.11 to match the policy used by other key derivation mechanisms such as **CKM_SSL3_MASTER_KEY_DERIVE**.

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (1 to 128 bytes)
CKA_VALUE_LEN ^{2,3}	CK_ULONG	Length in bytes of key value

376 Refer to [PKCS #11-Base] table 10 for footnotes

377 The following is a sample template for creating an RC2 secret key object:

```

378 CK_OBJECT_CLASS class = CKO_SECRET_KEY;
379 CK_KEY_TYPE keyType = CKK_RC2;
380 CK_UTF8CHAR label[] = "An RC2 secret key object";
381 CK_BYTE value[] = {...};
382 CK_BBOOL true = CK_TRUE;
383 CK_ATTRIBUTE template[] = {
384     {CKA_CLASS, &class, sizeof(class)},
385     {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
386     {CKA_TOKEN, &true, sizeof(true)},
387     {CKA_LABEL, label, sizeof(label)-1},
388     {CKA_ENCRYPT, &true, sizeof(true)},
389     {CKA_VALUE, value, sizeof(value)}
390 };

```

391 2.4.3 RC2 mechanism parameters

392 2.4.3.1 CK_RC2_PARAMS; CK_RC2_PARAMS_PTR

393 **CK_RC2_PARAMS** provides the parameters to the **CKM_RC2_ECB** and **CKM_RC2_MAC** mechanisms.
394 It holds the effective number of bits in the RC2 search space. It is defined as follows:

```

395 typedef CK_ULONG CK_RC2_PARAMS;

```

396 **CK_RC2_PARAMS_PTR** is a pointer to a **CK_RC2_PARAMS**.

397 2.4.3.2 CK_RC2_CBC_PARAMS; CK_RC2_CBC_PARAMS_PTR

398 **CK_RC2_CBC_PARAMS** is a structure that provides the parameters to the **CKM_RC2_CBC** and
399 **CKM_RC2_CBC_PAD** mechanisms. It is defined as follows:

```

400 typedef struct CK_RC2_CBC_PARAMS {
401     CK_ULONG ulEffectiveBits;
402     CK_BYTE iv[8];
403 } CK_RC2_CBC_PARAMS;

```

404 The fields of the structure have the following meanings:

405	<i>ulEffectiveBits</i>	the effective number of bits in the RC2 search space
406	<i>iv</i>	the initialization vector (IV) for cipher block chaining
407		mode

408 **CK_RC2_CBC_PARAMS_PTR** is a pointer to a **CK_RC2_CBC_PARAMS**.

409 2.4.3.3 CK_RC2_MAC_GENERAL_PARAMS; 410 CK_RC2_MAC_GENERAL_PARAMS_PTR

411 **CK_RC2_MAC_GENERAL_PARAMS** is a structure that provides the parameters to the
412 **CKM_RC2_MAC_GENERAL** mechanism. It is defined as follows:

```

413 typedef struct CK_RC2_MAC_GENERAL_PARAMS {
414     CK_ULONG ulEffectiveBits;

```

```

415     CK_ULONG ulMacLength;
416 } CK_RC2_MAC_GENERAL_PARAMS;

```

417 The fields of the structure have the following meanings:

418 *ulEffectiveBits* the effective number of bits in the RC2 search space

419 *ulMacLength* length of the MAC produced, in bytes

420 **CK_RC2_MAC_GENERAL_PARAMS_PTR** is a pointer to a **CK_RC2_MAC_GENERAL_PARAMS**.

421 2.4.4 RC2 key generation

422 The RC2 key generation mechanism, denoted **CKM_RC2_KEY_GEN**, is a key generation mechanism for
423 RSA Security's block cipher RC2.

424 It does not have a parameter.

425 The mechanism generates RC2 keys with a particular length in bytes, as specified in the
426 **CKA_VALUE_LEN** attribute of the template for the key.

427 The mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE**, and **CKA_VALUE** attributes to the new
428 key. Other attributes supported by the RC2 key type (specifically, the flags indicating which functions the
429 key supports) MAY be specified in the template for the key, or else are assigned default initial values.

430 For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure
431 specify the supported range of RC2 key sizes, in bits.

432 2.4.5 RC2-ECB

433 RC2-ECB, denoted **CKM_RC2_ECB**, is a mechanism for single- and multiple-part encryption and
434 decryption; key wrapping; and key unwrapping, based on RSA Security's block cipher RC2 and electronic
435 codebook mode as defined in FIPS PUB 81.

436 It has a parameter, a **CK_RC2_PARAMS**, which indicates the effective number of bits in the RC2 search
437 space.

438 This mechanism MAY wrap and unwrap any secret key. Of course, a particular token MAY not be able to
439 wrap/unwrap every secret key that it supports. For wrapping, the mechanism encrypts the value of the
440 **CKA_VALUE** attribute of the key that is wrapped, padded on the trailing end with up to seven null bytes
441 so that the resulting length is a multiple of eight. The output data is the same length as the padded input
442 data. It does not wrap the key type, key length, or any other information about the key; the application
443 must convey these separately.

444 For unwrapping, the mechanism decrypts the wrapped key, and truncates the result according to the
445 **CKA_KEY_TYPE** attribute of the template and, if it has one, and the key type supports it, the
446 **CKA_VALUE_LEN** attribute of the template. The mechanism contributes the result as the **CKA_VALUE**
447 attribute of the new key; other attributes required by the key type must be specified in the template.

448 Constraints on key types and the length of data are summarized in the following table:

449 *Table 7 RC2-ECB: Key and Data Length*

Function	Key type	Input length	Output length	Comments
C_Encrypt	RC2	Multiple of 8	Same as input length	No final part
C_Decrypt	RC2	Multiple of 8	Same as input length	No final part
C_WrapKey	RC2	Any	Input length rounded up to multiple of 8	
C_UnwrapKey	RC2	Multiple of	Determined by type of key being unwrapped or	

		8	CKA_VALUE_LEN	
--	--	---	---------------	--

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC2 effective number of bits.

2.4.6 RC2-CBC

RC2_CBC, denoted **CKM_RC2_CBC**, is a mechanism for single- and multiple-part encryption and decryption; key wrapping; and key unwrapping, based on RSA Security's block cipher RC2 and cipher-block chaining mode as defined in FIPS PUB 81.

It has a parameter, a **CK_RC2_CBC_PARAMS** structure, where the first field indicates the effective number of bits in the RC2 search space, and the next field is the initialization vector for cipher block chaining mode.

This mechanism MAY wrap and unwrap any secret key. Of course, a particular token MAY not be able to wrap/unwrap every secret key that it supports. For wrapping, the mechanism encrypts the value of the **CKA_VALUE** attribute of the key that is wrapped, padded on the trailing end with up to seven null bytes so that the resulting length is a multiple of eight. The output data is the same length as the padded input data. It does not wrap the key type, key length, or any other information about the key; the application must convey these separately.

For unwrapping, the mechanism decrypts the wrapped key, and truncates the result according to the **CKA_KEY_TYPE** attribute of the template and, if it has one, and the key type supports it, the **CKA_VALUE_LEN** attribute of the template. The mechanism contributes the result as the **CKA_VALUE** attribute of the new key; other attributes required by the key type must be specified in the template.

Constraints on key types and the length of data are summarized in the following table:

Table 8, RC2-CBC: Key and Data Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	RC2	Multiple of 8	Same as input length	No final part
C_Decrypt	RC2	Multiple of 8	Same as input length	No final part
C_WrapKey	RC2	Any	Input length rounded up to multiple of 8	
C_UnwrapKey	RC2	Multiple of 8	Determined by type of key being unwrapped or CKA_VALUE_LEN	

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC2 effective number of bits.

2.4.7 RC2-CBC with PKCS padding

RC2-CBC with PKCS padding, denoted **CKM_RC2_CBC_PAD**, is a mechanism for single- and multiple-part encryption and decryption; key wrapping; and key unwrapping, based on RSA Security's block cipher RC2; cipher-block chaining mode as defined in FIPS PUB 81; and the block cipher padding method detailed in PKCS #7.

It has a parameter, a **CK_RC2_CBC_PARAMS** structure, where the first field indicates the effective number of bits in the RC2 search space, and the next field is the initialization vector.

The PKCS padding in this mechanism allows the length of the plaintext value to be recovered from the ciphertext value. Therefore, when unwrapping keys with this mechanism, no value should be specified for the **CKA_VALUE_LEN** attribute.

In addition to being able to wrap and unwrap secret keys, this mechanism MAY wrap and unwrap RSA, Diffie-Hellman, X9.42 Diffie-Hellman, EC (also related to ECDSA) and DSA private keys (see **[PKCS #11-**

Curr], Miscellaneous simple key derivation mechanisms for details). The entries in the table below for data length constraints when wrapping and unwrapping keys do not apply to wrapping and unwrapping private keys.

Constraints on key types and the length of data are summarized in the following table:

Table 9, RC2-CBC with PKCS Padding: Key and Data Length

Function	Key type	Input length	Output length
C_Encrypt	RC2	Any	Input length rounded up to multiple of 8
C_Decrypt	RC2	Multiple of 8	Between 1 and 8 bytes shorter than input length
C_WrapKey	RC2	Any	Input length rounded up to multiple of 8
C_UnwrapKey	RC2	Multiple of 8	Between 1 and 8 bytes shorter than input length

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC2 effective number of bits.

2.4.8 General-length RC2-MAC

General-length RC2-MAC, denoted **CKM_RC2_MAC_GENERAL**, is a mechanism for single-and multiple-part signatures and verification, based on RSA Security's block cipher RC2 and data authorization as defined in FIPS PUB 113.

It has a parameter, a **CK_RC2_MAC_GENERAL_PARAMS** structure, which specifies the effective number of bits in the RC2 search space and the output length desired from the mechanism.

The output bytes from this mechanism are taken from the start of the final RC2 cipher block produced in the MACing process.

Constraints on key types and the length of data are summarized in the following table:

Table 10, General-length RC2-MAC: Key and Data Length

Function	Key type	Data length	Signature length
C_Sign	RC2	Any	0-8, as specified in parameters
C_Verify	RC2	Any	0-8, as specified in parameters

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC2 effective number of bits.

2.4.9 RC2-MAC

RC2-MAC, denoted by **CKM_RC2_MAC**, is a special case of the general-length RC2-MAC mechanism (see Section 2.4.8). Instead of taking a **CK_RC2_MAC_GENERAL_PARAMS** parameter, it takes a **CK_RC2_PARAMS** parameter, which only contains the effective number of bits in the RC2 search space. RC2-MAC produces and verifies 4-byte MACs.

Constraints on key types and the length of data are summarized in the following table:

Table 11, RC2-MAC: Key and Data Length

Function	Key type	Data length	Signature length
C_Sign	RC2	Any	4
C_Verify	RC2	Any	4

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC2 effective number of bits.

2.5 RC4

2.5.1 Definitions

This section defines the key type “CKK_RC4” for type CK_KEY_TYPE as used in the CKA_KEY_TYPE attribute of key objects.

Mechanisms

CKM_RC4_KEY_GEN

CKM_RC4

2.5.2 RC4 secret key objects

RC4 secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_RC4**) hold RC4 keys. The following table defines the RC4 secret key object attributes, in addition to the common attributes defined for this object class:

Table 12, RC4 Secret Key Object

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (1 to 256 bytes)
CKA_VALUE_LEN ^{2,3,6}	CK_ULONG	Length in bytes of key value

Refer to [PKCS #11-Base] table 10 for footnotes

The following is a sample template for creating an RC4 secret key object:

```
CK_OBJECT_CLASS class = CKO_SECRET_KEY;
CK_KEY_TYPE keyType = CKK_RC4;
CK_UTF8CHAR label[] = "An RC4 secret key object";
CK_BYTE value[] = {...};
CK_BBOOL true = CK_TRUE;
CK_ATTRIBUTE template[] = {
    {CKA_CLASS, &class, sizeof(class)},
    {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
    {CKA_TOKEN, &true, sizeof(true)},
    {CKA_LABEL, label, sizeof(label)-1},
    {CKA_ENCRYPT, &true, sizeof(true)},
    {CKA_VALUE, value, sizeof(value)}
};
```

2.5.3 RC4 key generation

The RC4 key generation mechanism, denoted **CKM_RC4_KEY_GEN**, is a key generation mechanism for RSA Security's proprietary stream cipher RC4.

It does not have a parameter.

The mechanism generates RC4 keys with a particular length in bytes, as specified in the **CKA_VALUE_LEN** attribute of the template for the key.

The mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE**, and **CKA_VALUE** attributes to the new key. Other attributes supported by the RC4 key type (specifically, the flags indicating which functions the key supports) MAY be specified in the template for the key, or else are assigned default initial values.

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC4 key sizes, in bits.

2.5.4 RC4 mechanism

RC4, denoted **CKM_RC4**, is a mechanism for single- and multiple-part encryption and decryption based on RSA Security's proprietary stream cipher RC4.

It does not have a parameter.

Constraints on key types and the length of input and output data are summarized in the following table:

Table 13, RC4: Key and Data Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	RC4	Any	Same as input length	No final part
C_Decrypt	RC4	Any	Same as input length	No final part

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC4 key sizes, in bits.

2.6 RC5

2.6.1 Definitions

RC5 is a parameterizable block cipher patented by RSA Security. It has a variable wordsize, a variable keysize, and a variable number of rounds. The blocksize of RC5 is equal to twice its wordsize.

This section defines the key type "CKK_RC5" for type CK_KEY_TYPE as used in the CKA_KEY_TYPE attribute of key objects.

Mechanisms:

CKM_RC5_KEY_GEN

CKM_RC5_ECB

CKM_RC5_CBC

CKM_RC5_MAC

CKM_RC5_MAC_GENERAL

CMK_RC5_CBC_PAD

2.6.2 RC5 secret key objects

RC5 secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_RC5**) hold RC5 keys. The following table defines the RC5 secret key object attributes, in addition to the common attributes defined for this object class.

Table 14, RC5 Secret Key Object

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (0 to 255 bytes)
CKA_VALUE_LEN ^{2,3,6}	CK_ULONG	Length in bytes of key value

Refer to [PKCS #11-Base] table 10 for footnotes

The following is a sample template for creating an RC5 secret key object:

```
CK_OBJECT_CLASS class = CKO_SECRET_KEY;
CK_KEY_TYPE keyType = CKK_RC5;
CK_UTF8CHAR label[] = "An RC5 secret key object";
CK_BYTE value[] = {...};
CK_BBOOL true = CK_TRUE;
```

```

586 CK_ATTRIBUTE template[] = {
587     {CKA_CLASS, &class, sizeof(class)},
588     {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
589     {CKA_TOKEN, &true, sizeof(true)},
590     {CKA_LABEL, label, sizeof(label)-1},
591     {CKA_ENCRYPT, &true, sizeof(true)},
592     {CKA_VALUE, value, sizeof(value)}
593 };

```

594 2.6.3 RC5 mechanism parameters

595 2.6.3.1 CK_RC5_PARAMS; CK_RC5_PARAMS_PTR

596 **CK_RC5_PARAMS** provides the parameters to the **CKM_RC5_ECB** and **CKM_RC5_MAC** mechanisms.
597 It is defined as follows:

```

598 typedef struct CK_RC5_PARAMS {
599     CK_ULONG ulWordsize;
600     CK_ULONG ulRounds;
601 } CK_RC5_PARAMS;

```

602 The fields of the structure have the following meanings:

603 *ulWordsize* wordsize of RC5 cipher in bytes

604 *ulRounds* number of rounds of RC5 encipherment

605 **CK_RC5_PARAMS_PTR** is a pointer to a **CK_RC5_PARAMS**.

606 2.6.3.2 CK_RC5_CBC_PARAMS; CK_RC5_CBC_PARAMS_PTR

607 **CK_RC5_CBC_PARAMS** is a structure that provides the parameters to the **CKM_RC5_CBC** and
608 **CKM_RC5_CBC_PAD** mechanisms. It is defined as follows:

```

609 typedef struct CK_RC5_CBC_PARAMS {
610     CK_ULONG ulWordsize;
611     CK_ULONG ulRounds;
612     CK_BYTE_PTR pIv;
613     CK_ULONG ulIvLen;
614 } CK_RC5_CBC_PARAMS;

```

615 The fields of the structure have the following meanings:

616 *ulwordSize* wordsize of RC5 cipher in bytes

617 *ulRounds* number of rounds of RC5 encipherment

618 *pIv* pointer to initialization vector (IV) for CBC encryption

619 *ulIvLen* length of initialization vector (must be same as
620 blocksize)

621 **CK_RC5_CBC_PARAMS_PTR** is a pointer to a **CK_RC5_CBC_PARAMS**.

622 2.6.3.3 CK_RC5_MAC_GENERAL_PARAMS; 623 CK_RC5_MAC_GENERAL_PARAMS_PTR

624 **CK_RC5_MAC_GENERAL_PARAMS** is a structure that provides the parameters to the
625 **CKM_RC5_MAC_GENERAL** mechanism. It is defined as follows:

```

626 typedef struct CK_RC5_MAC_GENERAL_PARAMS {
627     CK_ULONG ulWordsize;
628     CK_ULONG ulRounds;
629     CK_ULONG ulMacLength;
630 } CK_RC5_MAC_GENERAL_PARAMS;

```

631 The fields of the structure have the following meanings:

632	<i>ulwordSize</i>	wordsize of RC5 cipher in bytes
633	<i>ulRounds</i>	number of rounds of RC5 encipherment
634	<i>ulMacLength</i>	length of the MAC produced, in bytes

635 **CK_RC5_MAC_GENERAL_PARAMS_PTR** is a pointer to a **CK_RC5_MAC_GENERAL_PARAMS**.

636 2.6.4 RC5 key generation

637 The RC5 key generation mechanism, denoted **CKM_RC5_KEY_GEN**, is a key generation mechanism for
638 RSA Security's block cipher RC5.

639 It does not have a parameter.

640 The mechanism generates RC5 keys with a particular length in bytes, as specified in the
641 **CKA_VALUE_LEN** attribute of the template for the key.

642 The mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE**, and **CKA_VALUE** attributes to the new
643 key. Other attributes supported by the RC5 key type (specifically, the flags indicating which functions the
644 key supports) MAY be specified in the template for the key, or else are assigned default initial values.

645 For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure
646 specify the supported range of RC5 key sizes, in bytes.

647 2.6.5 RC5-ECB

648 RC5-ECB, denoted **CKM_RC5_ECB**, is a mechanism for single- and multiple-part encryption and
649 decryption; key wrapping; and key unwrapping, based on RSA Security's block cipher RC5 and electronic
650 codebook mode as defined in FIPS PUB 81.

651 It has a parameter, **CK_RC5_PARAMS**, which indicates the wordsize and number of rounds of
652 encryption to use.

653 This mechanism MAY wrap and unwrap any secret key. Of course, a particular token MAY not be able to
654 wrap/unwrap every secret key that it supports. For wrapping, the mechanism encrypts the value of the
655 **CKA_VALUE** attribute of the key that is wrapped, padded on the trailing end with null bytes so that the
656 resulting length is a multiple of the cipher blocksize (twice the wordsize). The output data is the same
657 length as the padded input data. It does not wrap the key type, key length, or any other information about
658 the key; the application must convey these separately.

659 For unwrapping, the mechanism decrypts the wrapped key, and truncates the result according to the
660 **CKA_KEY_TYPE** attributes of the template and, if it has one, and the key type supports it, the
661 **CKA_VALUE_LEN** attribute of the template. The mechanism contributes the result as the **CKA_VALUE**
662 attribute of the new key; other attributes required by the key type must be specified in the template.

663 Constraints on key types and the length of data are summarized in the following table:

664 *Table 15, RC5-ECB Key and Data Length*

Function	Key type	Input length	Output length	Comments
C_Encrypt	RC5	Multiple of blocksize	Same as input length	No final part

C_Decrypt	RC5	Multiple of blocksize	Same as input length	No final part
C_WrapKey	RC5	Any	Input length rounded up to multiple of blocksize	
C_UnwrapKey	RC5	Multiple of blocksize	Determined by type of key being unwrapped or CKA_VALUE_LEN	

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC5 key sizes, in bytes.

2.6.6 RC5-CBC

RC5-CBC, denoted **CKM_RC5_CBC**, is a mechanism for single- and multiple-part encryption and decryption; key wrapping; and key unwrapping, based on RSA Security's block cipher RC5 and cipher-block chaining mode as defined in FIPS PUB 81.

It has a parameter, a **CK_RC5_CBC_PARAMS** structure, which specifies the wordsize and number of rounds of encryption to use, as well as the initialization vector for cipher block chaining mode.

This mechanism MAY wrap and unwrap any secret key. Of course, a particular token MAY not be able to wrap/unwrap every secret key that it supports. For wrapping, the mechanism encrypts the value of the **CKA_VALUE** attribute of the key that is wrapped, padded on the trailing end with up to seven null bytes so that the resulting length is a multiple of eight. The output data is the same length as the padded input data. It does not wrap the key type, key length, or any other information about the key; the application must convey these separately.

For unwrapping, the mechanism decrypts the wrapped key, and truncates the result according to the **CKA_KEY_TYPE** attribute for the template, and, if it has one, and the key type supports it, the **CKA_VALUE_LEN** attribute of the template. The mechanism contributes the result as the **CKA_VALUE** attribute of the new key; other attributes required by the key type must be specified in the template.

Constraints on key types and the length of data are summarized in the following table:

Table 16, RC5-CBC Key and Data Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	RC5	Multiple of blocksize	Same as input length	No final part
C_Decrypt	RC5	Multiple of blocksize	Same as input length	No final part
C_WrapKey	RC5	Any	Input length rounded up to multiple of blocksize	
C_UnwrapKey	RC5	Multiple of blocksize	Determined by type of key being unwrapped or CKA_VALUE_LEN	

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC5 key sizes, in bytes.

2.6.7 RC5-CBC with PKCS padding

RC5-CBC with PKCS padding, denoted **CKM_RC5_CBC_PAD**, is a mechanism for single- and multiple-part encryption and decryption; key wrapping; and key unwrapping, based on RSA Security's block cipher RC5; cipher block chaining mode as defined in FIPS PUB 81; and the block cipher padding method detailed in PKCS #7.

It has a parameter, a **CK_RC5_CBC_PARAMS** structure, which specifies the wordsize and number of rounds of encryption to use, as well as the initialization vector for cipher block chaining mode.

The PKCS padding in this mechanism allows the length of the plaintext value to be recovered from the ciphertext value. Therefore, when unwrapping keys with this mechanism, no value should be specified for the **CKA_VALUE_LEN** attribute.

In addition to being able to wrap and unwrap secret keys, this mechanism MAY wrap and unwrap RSA, Diffie-Hellman, X9.42 Diffie-Hellman, EC (also related to ECDSA) and DSA private keys. The entries in the table below for data length constraints when wrapping and unwrapping keys do not apply to wrapping and unwrapping private keys.

Constraints on key types and the length of data are summarized in the following table:

Table 17, RC5-CBC with PKCS Padding; Key and Data Length

Function	Key type	Input length	Output length
C_Encrypt	RC5	Any	Input length rounded up to multiple of blocksize
C_Decrypt	RC5	Multiple of blocksize	Between 1 and blocksize bytes shorter than input length
C_WrapKey	RC5	Any	Input length rounded up to multiple of blocksize
C_UnwrapKey	RC5	Multiple of blocksize	Between 1 and blocksize bytes shorter than input length

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC5 key sizes, in bytes.

2.6.8 General-length RC5-MAC

General-length RC5-MAC, denoted **CKM_RC5_MAC_GENERAL**, is a mechanism for single- and multiple-part signatures and verification, based on RSA Security's block cipher RC5 and data authentication as defined in FIPS PUB 113.

It has a parameter, a **CK_RC5_MAC_GENERAL_PARAMS** structure, which specifies the wordsize and number of rounds of encryption to use and the output length desired from the mechanism.

The output bytes from this mechanism are taken from the start of the final RC5 cipher block produced in the MACing process.

Constraints on key types and the length of data are summarized in the following table:

Table 18, General-length RC2-MAC: Key and Data Length

Function	Key type	Data length	Signature length
C_Sign	RC5	Any	0-blocksize, as specified in parameters
C_Verify	RC5	Any	0-blocksize, as specified in parameters

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC5 key sizes, in bytes.

2.6.9 RC5-MAC

RC5-MAC, denoted by **CKM_RC5_MAC**, is a special case of the general-length RC5-MAC mechanism. Instead of taking a **CK_RC5_MAC_GENERAL_PARAMS** parameter, it takes a **CK_RC5_PARAMS** parameter. RC5-MAC produces and verifies MACs half as large as the RC5 blocksize.

Constraints on key types and the length of data are summarized in the following table:

Table 19, RC5-MAC: Key and Data Length

Function	Key type	Data length	Signature length
C_Sign	RC5	Any	RC5 wordsize = [blocksize/2]
C_Verify	RC5	Any	RC5 wordsize = [blocksize/2]

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of RC5 key sizes, in bytes.

2.7 General block cipher

2.7.1 Definitions

For brevity's sake, the mechanisms for the DES, CAST, CAST3, CAST128 (CAST5), IDEA and CDMF block ciphers are described together here. Each of these ciphers has the following mechanisms, which are described in a templated form.

This section defines the key types "CKK_DES", "CKK_CAST", "CKK_CAST3", "CKK_CAST5" (deprecated in v2.11), "CKK_CAST128", "CKK_IDEA" and "CKK_CDMF" for type CK_KEY_TYPE as used in the CKA_KEY_TYPE attribute of key objects.

Mechanisms:

- CKM_DES_KEY_GEN
- CKM_DES_ECB
- CKM_DES_CBC
- CKM_DES_MAC
- CKM_DES_MAC_GENERAL
- CKM_DES_CBC_PAD
- CKM_CDMF_KEY_GEN
- CKM_CDMF_ECB
- CKM_CDMF_CBC
- CKM_CDMF_MAC
- CKM_CDMF_MAC_GENERAL
- CKM_CDMF_CBC_PAD
- CKM_DES_OFB64
- CKM_DES_OFB8
- CKM_DES_CFB64
- CKM_DES_CFB8
- CKM_CAST_KEY_GEN
- CKM_CAST_ECB
- CKM_CAST_CBC
- CKM_CAST_MAC
- CKM_CAST_MAC_GENERAL
- CKM_CAST_CBC_PAD
- CKM_CAST3_KEY_GEN
- CKM_CAST3_ECB
- CKM_CAST3_CBC
- CKM_CAST3_MAC
- CKM_CAST3_MAC_GENERAL

761 CKM_CAST3_CBC_PAD
762 CKM_CAST5_KEY_GEN
763 CKM_CAST128_KEY_GEN
764 CKM_CAST5_ECB
765 CKM_CAST128_ECB
766 CKM_CAST5_CBC
767 CKM_CAST128_~~CB~~CCBC
768 CKM_CAST5_MAC
769 CKM_CAST128_MAC
770 CKM_CAST5_MAC_GENERAL
771 CKM_CAST128_MAC_GENERAL
772 CKM_CAST5_CBC_PAD
773 CKM_CAST128_CBC_PAD
774 CKM_IDEA_KEY_GEN
775 CKM_IDEA_ECB
776 CKM_IDEA_MAC
777 CKM_IDEA_MAC_GENERAL
778 CKM_IDEA_CBC_PAD

779 **2.7.2 DES secret key objects**

780 DES secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_DES**) hold single-length DES
781 keys. The following table defines the DES secret key object attributes, in addition to the common
782 attributes defined for this object class:

783 *Table 20, DES Secret Key Object*

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (8 bytes long)

784 Refer to [PKCS #11-Base] table 10 for footnotes

785 DES keys MUST have their parity bits properly set as described in FIPS PUB 46-3. Attempting to create
786 or unwrap a DES key with incorrect parity MUST return an error.

787 The following is a sample template for creating a DES secret key object:

```
788 CK_OBJECT_CLASS class = CKO_SECRET_KEY;  
789 CK_KEY_TYPE keyType = CKK_DES;  
790 CK_UTF8CHAR label[] = "A DES secret key object";  
791 CK_BYTE value[8] = {...};  
792 CK_BBOOL true = CK_TRUE;  
793 CK_ATTRIBUTE template[] = {  
794     {CKA_CLASS, &class, sizeof(class)},  
795     {CKA_KEY_TYPE, &keyType, sizeof(keyType)},  
796     {CKA_TOKEN, &true, sizeof(true)},  
797     {CKA_LABEL, label, sizeof(label)-1},  
798     {CKA_ENCRYPT, &true, sizeof(true)},  
799     {CKA_VALUE, value, sizeof(value)}  
800 };
```

801 CKA_CHECK_VALUE: The value of this attribute is derived from the key object by taking the first three
802 bytes of the ECB encryption of a single block of null (0x00) bytes, using the default cipher associated with
803 the key type of the secret key object.

2.7.3 CAST secret key objects

CAST secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_CAST**) hold CAST keys. The following table defines the CAST secret key object attributes, in addition to the common attributes defined for this object class:

Table 21, CAST Secret Key Object Attributes

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (1 to 8 bytes)
CKA_VALUE_LEN ^{2,3,6}	CK_ULONG	Length in bytes of key value

Refer to [PKCS #11-Base] table 10 for footnotes

The following is a sample template for creating a CAST secret key object:

```
CK_OBJECT_CLASS class = CKO_SECRET_KEY;
CK_KEY_TYPE keyType = CKK_CAST;
CK_UTF8CHAR label[] = "A CAST secret key object";
CK_BYTE value[] = {...};
CK_BBOOL true = CK_TRUE;
CK_ATTRIBUTE template[] = {
    {CKA_CLASS, &class, sizeof(class)},
    {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
    {CKA_TOKEN, &true, sizeof(true)},
    {CKA_LABEL, label, sizeof(label)-1},
    {CKA_ENCRYPT, &true, sizeof(true)},
    {CKA_VALUE, value, sizeof(value)}
};
```

2.7.4 CAST3 secret key objects

CAST3 secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_CAST3**) hold CAST3 keys. The following table defines the CAST3 secret key object attributes, in addition to the common attributes defines for this object class:

Table 22, CAST3 Secret Key Object Attributes

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (1 to 8 bytes)
CKA_VALUE_LEN ^{2,3,6}	CK_ULONG	Length in bytes of key value

Refer to [PKCS #11-Base] table 10 for footnotes

The following is a sample template for creating a CAST3 secret key object:

```
CK_OBJECT_CLASS class = CKO_SECRET_KEY;
CK_KEY_TYPE keyType = CKK_CAST3;
CK_UTF8CHAR label[] = "A CAST3 secret key object";
CK_BYTE value[] = {...};
CK_BBOOL true = CK_TRUE;
CK_ATTRIBUTE template[] = {
    {CKA_CLASS, &class, sizeof(class)},
    {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
    {CKA_TOKEN, &true, sizeof(true)},
    {CKA_LABEL, label, sizeof(label)-1},
    {CKA_ENCRYPT, &true, sizeof(true)},
    {CKA_VALUE, value, sizeof(value)}
};
```

2.7.5 CAST128 (CAST5) secret key objects

CAST128 (also known as CAST5) secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_CAST128** or **CKK_CAST5**) hold CAST128 keys. The following table defines the CAST128 secret key object attributes, in addition to the common attributes defines for this object class:

Table 23, CAST128 (CAST5) Secret Key Object Attributes

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (1 to 16 bytes)
CKA_VALUE_LEN ^{2,3,6}	CK_ULONG	Length in bytes of key value

Refer to [PKCS #11-Base] table 10 for footnotes

The following is a sample template for creating a CAST128 (CAST5) secret key object:

```
CK OBJECT CLASS class = CKO_SECRET_KEY;
CK_KEY_TYPE keyType = CKK_CAST128;
CK_UTF8CHAR label[] = "A CAST128 secret key object";
CK_BYTE value[] = {...};
CK_BBOOL true = CK_TRUE;
CK_ATTRIBUTE template[] = {
    {CKA_CLASS, &class, sizeof(class)},
    {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
    {CKA_TOKEN, &true, sizeof(true)},
    {CKA_LABEL, label, sizeof(label)-1},
    {CKA_ENCRYPT, &true, sizeof(true)},
    {CKA_VALUE, value, sizeof(value)}
};
```

2.7.6 IDEA secret key objects

IDEA secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_IDEA**) hold IDEA keys. The following table defines the IDEA secret key object attributes, in addition to the common attributes defines for this object class:

Table 24, IDEA Secret Key Object

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (16 bytes long)

Refer to [PKCS #11-Base] table 10 for footnotes

The following is a sample template for creating an IDEA secret key object:

```
CK OBJECT CLASS class = CKO_SECRET_KEY;
CK_KEY_TYPE keyType = CKK_IDEA;
CK_UTF8CHAR label[] = "An IDEA secret key object";
CK_BYTE value[16] = {...};
CK_BBOOL true = CK_TRUE;
CK_ATTRIBUTE template[] = {
    {CKA_CLASS, &class, sizeof(class)},
    {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
    {CKA_TOKEN, &true, sizeof(true)},
    {CKA_LABEL, label, sizeof(label)-1},
    {CKA_ENCRYPT, &true, sizeof(true)},
    {CKA_VALUE, value, sizeof(value)}
};
```

2.7.7 CDMF secret key objects

IDEA secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_CDMF**) hold CDMF keys. The following table defines the CDMF secret key object attributes, in addition to the common attributes defines for this object class:

Table 25, CDMF Secret Key Object

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (8 bytes long)

Refer to [PKCS #11-Base] table 10 for footnotes

CDMF keys MUST have their parity bits properly set in exactly the same fashion described for DES keys in FIPS PUB 46-3. Attempting to create or unwrap a CDMF key with incorrect parity MUST return an error.

The following is a sample template for creating a CDMF secret key object:

```
CK_OBJECT_CLASS class = CKO_SECRET_KEY;
CK_KEY_TYPE keyType = CKK_CDMF;
CK_UTF8CHAR label[] = "A CDMF secret key object";
CK_BYTE value[8] = {...};
CK_BBOOL true = CK_TRUE;
CK_ATTRIBUTE template[] = {
    {CKA_CLASS, &class, sizeof(class)},
    {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
    {CKA_TOKEN, &true, sizeof(true)},
    {CKA_LABEL, label, sizeof(label)-1},
    {CKA_ENCRYPT, &true, sizeof(true)},
    {CKA_VALUE, value, sizeof(value)}
};
```

2.7.8 General block cipher mechanism parameters

2.7.8.1 CK_MAC_GENERAL_PARAMS; CK_MAC_GENERAL_PARAMS_PTR

CK_MAC_GENERAL_PARAMS provides the parameters to the general-length MACing mechanisms of the DES, DES3 (triple-DES), CAST, CAST3, CAST128 (CAST5), IDEA, CDMF and AES ciphers. It also provides the parameters to the general-length HMACing mechanisms (i.e., MD2, MD5, SHA-1, SHA-256, SHA-384, SHA-512, RIPEMD-128 and RIPEMD-160) and the two SSL 3.0 MACing mechanisms, (i.e., MD5 and SHA-1). It holds the length of the MAC that these mechanisms produce. It is defined as follows:

```
typedef CK_ULONG CK_MAC_GENERAL_PARAMS;
```

CK_MAC_GENERAL_PARAMS_PTR is a pointer to a **CK_MAC_GENERAL_PARAMS**.

2.7.9 General block cipher key generation

Cipher <NAME> has a key generation mechanism, "<NAME> key generation", denoted by **CKM_<NAME>_KEY_GEN**.

This mechanism does not have a parameter.

The mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE**, and **CKA_VALUE** attributes to the new key. Other attributes supported by the key type (specifically, the flags indicating which functions the key supports) MAY be specified in the template for the key, or else are assigned default initial values.

When DES keys or CDMF keys are generated, their parity bits are set properly, as specified in FIPS PUB 46-3. Similarly, when a triple-DES key is generated, each of the DES keys comprising it has its parity bits set properly.

When DES or CDMF keys are generated, it is token-dependent whether or not it is possible for “weak” or “semi-weak” keys to be generated. Similarly, when triple-DES keys are generated, it is token-dependent whether or not it is possible for any of the component DES keys to be “weak” or “semi-weak” keys.

When CAST, CAST3, or CAST128 (CAST5) keys are generated, the template for the secret key must specify a **CKA_VALUE_LEN** attribute.

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure MAY be used. The CAST, CAST3, and CAST128 (CAST5) ciphers have variable key sizes, and so for the key generation mechanisms for these ciphers, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of key sizes, in bytes. For the DES, DES3 (triple-DES), IDEA and CDMF ciphers, these fields are not used.

2.7.10 General block cipher ECB

Cipher <NAME> has an electronic codebook mechanism, “<NAME>-ECB”, denoted **CKM_<NAME>_ECB**. It is a mechanism for single- and multiple-part encryption and decryption; key wrapping; and key unwrapping with <NAME>.

It does not have a parameter.

This mechanism MAY wrap and unwrap any secret key. Of course, a particular token MAY not be able to wrap/unwrap every secret key that it supports. For wrapping, the mechanism encrypts the value of the **CKA_VALUE** attribute of the key that is wrapped, padded on the trailing end with null bytes so that the resulting length is a multiple of <NAME>’s blocksize. The output data is the same length as the padded input data. It does not wrap the key type, key length or any other information about the key; the application must convey these separately.

For unwrapping, the mechanism decrypts the wrapped key, and truncates the result according to the **CKA_KEY_TYPE** attribute of the template and, if it has one, and the key type supports it, the **CKA_VALUE_LEN** attribute of the template. The mechanism contributes the result as the **CKA_VALUE** attribute of the new key; other attributes required by the key must be specified in the template.

Constraints on key types and the length of data are summarized in the following table:

Table 26, General Block Cipher ECB: Key and Data Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	<NAME>	Multiple of blocksize	Same as input length	No final part
C_Decrypt	<NAME>	Multiple of blocksize	Same as input length	No final part
C_WrapKey	<NAME>	Any	Input length rounded up to multiple of blocksize	
C_UnwrapKey	<NAME>	Any	Determined by type of key being unwrapped or CKA_VALUE_LEN	

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure MAY be used. The CAST, CAST3, and CAST128 (CAST5) ciphers have variable key sizes, and so for these ciphers, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of key sizes, in bytes. For the DES, DES3 (triple-DES), IDEA and CDMF ciphers, these fields are not used.

2.7.11 General block cipher CBC

Cipher <NAME> has a cipher-block chaining mode, “<NAME>-CBC”, denoted **CKM_<NAME>_CBC**. It is a mechanism for single- and multiple-part encryption and decryption; key wrapping; and key unwrapping with <NAME>.

It has a parameter, an initialization vector for cipher block chaining mode. The initialization vector has the same length as <NAME>'s blocksize.

Constraints on key types and the length of data are summarized in the following table:

Table 27, General Block Cipher CBC; Key and Data Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	<NAME>	Multiple of blocksize	Same as input length	No final part
C_Decrypt	<NAME>	Multiple of blocksize	Same as input length	No final part
C_WrapKey	<NAME>	Any	Input length rounded up to multiple of blocksize	
C_UnwrapKey	<NAME>	Any	Determined by type of key being unwrapped or CKA_VALUE_LEN	

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure MAY be used. The CAST, CAST3, and CAST128 (CAST5) ciphers have variable key sizes, and so for these ciphers, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of key sizes, in bytes. For the DES, DES3 (triple-DES), IDEA, and CDMF ciphers, these fields are not used.

2.7.12 General block cipher CBC with PKCS padding

Cipher <NAME> has a cipher-block chaining mode with PKCS padding, "<NAME>-CBC with PKCS padding", denoted **CKM_<NAME>_CBC_PAD**. It is a mechanism for single- and multiple-part encryption and decryption; key wrapping; and key unwrapping with <NAME>. All ciphertext is padded with PKCS padding.

It has a parameter, an initialization vector for cipher block chaining mode. The initialization vector has the same length as <NAME>'s blocksize.

The PKCS padding in this mechanism allows the length of the plaintext value to be recovered from the ciphertext value. Therefore, when unwrapping keys with this mechanism, no value should be specified for the **CKA_VALUE_LEN** attribute.

In addition to being able to wrap and unwrap secret keys, this mechanism MAY wrap and unwrap RSA, Diffie-Hellman, X9.42 Diffie-Hellman, EC (also related to ECDSA) and DSA private keys. The entries in the table below for data length constraints when wrapping and unwrapping keys do not apply to wrapping and unwrapping private keys.

Constraints on key types and the length of data are summarized in the following table:

Table 28, General Block Cipher CBC with PKCS Padding: Key and Data Length

Function	Key type	Input length	Output length
C_Encrypt	<NAME>	Any	Input length rounded up to multiple of blocksize
C_Decrypt	<NAME>	Multiple of blocksize	Between 1 and blocksize bytes shorter than input length
C_WrapKey	<NAME>	Any	Input length rounded up to multiple of blocksize
C_UnwrapKey	<NAME>	Multiple of blocksize	Between 1 and blocksize bytes shorter than input length

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure MAY be used. The CAST, CAST3 and CAST128 (CAST5) ciphers have variable key sizes, and so for these ciphers, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of key sizes, in bytes. For the DES, DES3 (triple-DES), IDEA, and CDMF ciphers, these fields are not used.

2.7.13 General-length general block cipher MAC

Cipher <NAME> has a general-length MACing mode, “General-length <NAME>-MAC”, denoted **CKM_<NAME>_MAC_GENERAL**. It is a mechanism for single-and multiple-part signatures and verification, based on the <NAME> encryption algorithm and data authentication as defined in FIPS PUB 113.

It has a parameter, a **CK_MAC_GENERAL_PARAMS**, which specifies the size of the output.

The output bytes from this mechanism are taken from the start of the final cipher block produced in the MACing process.

Constraints on key types and the length of input and output data are summarized in the following table:

Table 29, General-length General Block Cipher MAC: Key and Data Length

Function	Key type	Data length	Signature length
C_Sign	<NAME>	Any	0-blocksize, depending on parameters
C_Verify	<NAME>	Any	0-blocksize, depending on parameters

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure MAY be used. The CAST, CAST3, and CAST128 (CAST5) ciphers have variable key sizes, and so for these ciphers, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of key sizes, in bytes. For the DES, DES3 (triple-DES), IDEA and CDMF ciphers, these fields are not used.

2.7.14 General block cipher MAC

Cipher <NAME> has a MACing mechanism, “<NAME>-MAC”, denoted **CKM_<NAME>_MAC**. This mechanism is a special case of the **CKM_<NAME>_MAC_GENERAL** mechanism described above. It produces an output of size half as large as <NAME>’s blocksize.

This mechanism has no parameters.

Constraints on key types and the length of data are summarized in the following table:

Table 30, General Block cipher MAC: Key and Data Length

Function	Key type	Data length	Signature length
C_Sign	<NAME>	Any	[blocksize/2]
C_Verify	<NAME>	Any	[blocksize/2]

For this mechanism, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure MAY be used. The CAST, CAST3, and CAST128 (CAST5) ciphers have variable key sizes, and so for these ciphers, the *ulMinKeySize* and *ulMaxKeySize* fields of the **CK_MECHANISM_INFO** structure specify the supported range of key sizes, in bytes. For the DES, DES3 (triple-DES), IDEA and CDMF ciphers, these fields are not used.

2.8 SKIPJACK

2.8.1 Definitions

This section defines the key type “CKK_SKIPJACK” for type CK_KEY_TYPE as used in the CKA_KEY_TYPE attribute of key objects.

Mechanisms:

- CKM_SKIPJACK_KEY_GEN
- CKM_SKIPJACK_ECB64
- CKM_SKIPJACK_CBC64
- CKM_SKIPJACK_OFB64
- CKM_SKIPJACK_CFB64
- CKM_SKIPJACK_CFB32
- CKM_SKIPJACK_CFB16
- CKM_SKIPJACK_CFB8
- CKM_SKIPJACK_WRAP
- CKM_SKIPJACK_PRIVATE_WRAP
- CKM_SKIPJACK_RELAYX

2.8.2 SKIPJACK secret key objects

SKIPJACK secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_SKIPJACK**) holds a single-length MEK or a TEK. The following table defines the SKIPJACK secret object attributes, in addition to the common attributes defined for this object class:

Table 31, SKIPJACK Secret Key Object

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (12 bytes long)

Refer to [PKCS #11-Base] table 10 for footnotes

SKIPJACK keys have 16 checksum bits, and these bits must be properly set. Attempting to create or unwrap a SKIPJACK key with incorrect checksum bits MUST return an error.

It is not clear that any tokens exist (or ever will exist) which permit an application to create a SKIPJACK key with a specified value. Nonetheless, we provide templates for doing so.

The following is a sample template for creating a SKIPJACK MEK secret key object:

```
CK_OBJECT_CLASS class = CKO_SECRET_KEY;
CK_KEY_TYPE keyType = CKK_SKIPJACK;
CK_UTF8CHAR label[] = "A SKIPJACK MEK secret key object";
CK_BYTE value[12] = {...};
CK_BBOOL true = CK_TRUE;
CK_ATTRIBUTE template[] = {
    {CKA_CLASS, &class, sizeof(class)},
    {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
    {CKA_TOKEN, &true, sizeof(true)},
    {CKA_LABEL, label, sizeof(label)-1},
    {CKA_ENCRYPT, &true, sizeof(true)},
    {CKA_VALUE, value, sizeof(value)}
};
```

The following is a sample template for creating a SKIPJACK TEK secret key object:

```

1064 CK_OBJECT_CLASS class = CKO_SECRET_KEY;
1065 CK_KEY_TYPE keyType = CKK_SKIPJACK;
1066 CK_UTF8CHAR label[] = "A SKIPJACK TEK secret key object";
1067 CK_BYTE value[12] = {...};
1068 CK_BBOOL true = CK_TRUE;
1069 CK_ATTRIBUTE template[] = {
1070     {CKA_CLASS, &class, sizeof(class)},
1071     {CKA_KEY_TYPE, &keyType, sizeof(keyType)},
1072     {CKA_TOKEN, &true, sizeof(true)},
1073     {CKA_LABEL, label, sizeof(label)-1},
1074     {CKA_ENCRYPT, &true, sizeof(true)},
1075     {CKA_WRAP, &true, sizeof(true)},
1076     {CKA_VALUE, value, sizeof(value)}
1077 };

```

1078 2.8.3 SKIPJACK Mechanism parameters

1079 2.8.3.1 CK_SKIPJACK_PRIVATE_WRAP_PARAMS; 1080 CK_SKIPJACK_PRIVATE_WRAP_PARAMS_PTR

1081 **CK_SKIPJACK_PRIVATE_WRAP_PARAMS** is a structure that provides the parameters to the
1082 **CKM_SKIPJACK_PRIVATE_WRAP** mechanism. It is defined as follows:

```

1083 typedef struct CK_SKIPJACK_PRIVATE_WRAP_PARAMS {
1084     CK_ULONG ulPasswordLen;
1085     CK_BYTE_PTR pPassword;
1086     CK_ULONG ulPublicDataLen;
1087     CK_BYTE_PTR pPublicData;
1088     CK_ULONG ulPandGLen;
1089     CK_ULONG ulQLen;
1090     CK_ULONG ulRandomLen;
1091     CK_BYTE_PTR pRandomA;
1092     CK_BYTE_PTR pPrimeP;
1093     CK_BYTE_PTR pBaseG;
1094     CK_BYTE_PTR pSubprimeQ;
1095 } CK_SKIPJACK_PRIVATE_WRAP_PARAMS;

```

1096 The fields of the structure have the following meanings:

1097	<i>ulPasswordLen</i>	length of the password
1098	<i>pPassword</i>	pointer to the buffer which contains the user-supplied password
1099		
1100	<i>ulPublicDataLen</i>	other party's key exchange public key size
1101	<i>pPublicData</i>	pointer to other party's key exchange public key value
1102	<i>ulPandGLen</i>	length of prime and base values
1103	<i>ulQLen</i>	length of subprime value
1104	<i>ulRandomLen</i>	size of random Ra, in bytes
1105	<i>pPrimeP</i>	pointer to Prime, p, value
1106	<i>pBaseG</i>	pointer to Base, b, value

1107 *pSubprimeQ* pointer to Subprime, q, value

1108 **CK_SKIPJACK_PRIVATE_WRAP_PARAMS_PTR** is a pointer to a
1109 **CK_PRIVATE_WRAP_PARAMS**.

1110 **2.8.3.2 CK_SKIPJACK_RELAYX_PARAMS;**
1111 **CK_SKIPJACK_RELAYX_PARAMS_PTR**

1112 **CK_SKIPJACK_RELAYX_PARAMS** is a structure that provides the parameters to the
1113 **CKM_SKIPJACK_RELAYX** mechanism. It is defined as follows:

```
1114    typedef struct CK_SKIPJACK_RELAYX_PARAMS {  
1115        CK_ULONG ulOldWrappedXLen;  
1116        CK_BYTE_PTR pOldWrappedX;  
1117        CK_ULONG ulOldPasswordLen;  
1118        CK_BYTE_PTR pOldPassword;  
1119        CK_ULONG ulOldPublicDataLen;  
1120        CK_BYTE_PTR pOldPublicData;  
1121        CK_ULONG ulOldRandomLen;  
1122        CK_BYTE_PTR pOldRandomA;  
1123        CK_ULONG ulNewPasswordLen;  
1124        CK_BYTE_PTR pNewPassword;  
1125        CK_ULONG ulNewPublicDataLen;  
1126        CK_BYTE_PTR pNewPublicData;  
1127        CK_ULONG ulNewRandomLen;  
1128        CK_BYTE_PTR pNewRandomA;  
1129    } CK_SKIPJACK_RELAYX_PARAMS;
```

1130 The fields of the structure have the following meanings:

1131 *ulOldWrappedLen* length of old wrapped key in bytes

1132 *pOldWrappedX* pointer to old wrapper key

1133 *ulOldPasswordLen* length of the old password

1134 *pOldPassword* pointer to the buffer which contains the old user-supplied
1135 password

1136 *ulOldPublicDataLen* old key exchange public key size

1137 *pOldPublicData* pointer to old key exchange public key value

1138 *ulOldRandomLen* size of old random Ra in bytes

1139 *pOldRandomA* pointer to old Ra data

1140 *ulNewPasswordLen* length of the new password

1141 *pNewPassword* pointer to the buffer which contains the new user-
1142 supplied password

1143 *ulNewPublicDataLen* new key exchange public key size

1144 *pNewPublicData* pointer to new key exchange public key value

1145 *ulNewRandomLen* size of new random Ra in bytes

1146 *pNewRandomA* pointer to new Ra data

1147 **CK_SKIPJACK_RELAYX_PARAMS_PTR** is a pointer to a **CK_SKIPJACK_RELAYX_PARAMS**.

1148 2.8.4 SKIPJACK key generation

1149 The SKIPJACK key generation mechanism, denoted **CKM_SKIPJACK_KEY_GEN**, is a key generation
1150 mechanism for SKIPJACK. The output of this mechanism is called a Message Encryption Key (MEK).

1151 It does not have a parameter.

1152 The mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE**, and **CKA_VALUE** attributes to the new
1153 key.

1154 2.8.5 SKIPJACK-ECB64

1155 SKIPJACK-ECB64, denoted **CKM_SKIPJACK_ECB64**, is a mechanism for single- and multiple-part
1156 encryption and decryption with SKIPJACK in 64-bit electronic codebook mode as defined in FIPS PUB
1157 185.

1158 It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some
1159 value generated by the token – in other words, the application can't specify a particular IV when
1160 encrypting. It MAY, of course, specify a particular IV when decrypting.

1161 Constraints on key types and the length of data are summarized in the following table:

1162 *Table 32, SKIPJACK-ECB64: Data and Length*

Function	Key type	Input length	Output length	Comments
C_Encrypt	SKIPJACK	Multiple of 8	Same as input length	No final part
C_Decrypt	SKIPJACK	Multiple of 8	Same as input length	No final part

1163 2.8.6 SKIPJACK-CBC64

1164 SKIPJACK-CBC64, denoted **CKM_SKIPJACK_CBC64**, is a mechanism for single- and multiple-part
1165 encryption and decryption with SKIPJACK in 64-bit output feedback mode as defined in FIPS PUB 185.

1166 It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some
1167 value generated by the token – in other words, the application MAY NOT specify a particular IV when
1168 encrypting. It MAY, of course, specify a particular IV when decrypting.

1169 Constraints on key types and the length of data are summarized in the following table:

1170 *Table 33, SKIPJACK-CBC64: Data and Length*

Function	Key type	Input length	Output length	Comments
C_Encrypt	SKIPJACK	Multiple of 8	Same as input length	No final part
C_Decrypt	SKIPJACK	Multiple of 8	Same as input length	No final part

1171 2.8.7 SKIPJACK-OFB64

1172 SKIPJACK-OFB64, denoted **CKM_SKIPJACK_OFB64**, is a mechanism for single- and multiple-part
1173 encryption and decryption with SKIPJACK in 64-bit output feedback mode as defined in FIPS PUB 185.

1174 It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some
1175 value generated by the token – in other words, the application MAY NOT specify a particular IV when
1176 encrypting. It MAY, of course, specify a particular IV when decrypting.

1177 Constraints on key types and the length of data are summarized in the following table:

1178 *Table 34, SKIPJACK-OFB64: Data and Length*

Function	Key type	Input length	Output length	Comments
C_Encrypt	SKIPJACK	Multiple of 8	Same as input length	No final part
C_Decrypt	SKIPJACK	Multiple of 8	Same as input length	No final part

1179 2.8.8 SKIPJACK-CFB64

1180 SKIPJACK-CFB64, denoted **CKM_SKIPJACK_CFB64**, is a mechanism for single- and multiple-part
1181 encryption and decryption with SKIPJACK in 64-bit cipher feedback mode as defined in FIPS PUB 185.

1182 It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some
1183 value generated by the token – in other words, the application MAY NOT specify a particular IV when
1184 encrypting. It MAY, of course, specify a particular IV when decrypting.

1185 Constraints on key types and the length of data are summarized in the following table:

1186 *Table 35, SKIPJACK-CFB64: Data and Length*

Function	Key type	Input length	Output length	Comments
C_Encrypt	SKIPJACK	Multiple of 8	Same as input length	No final part
C_Decrypt	SKIPJACK	Multiple of 8	Same as input length	No final part

1187 2.8.9 SKIPJACK-CFB32

1188 SKIPJACK-CFB32, denoted **CKM_SKIPJACK_CFB32**, is a mechanism for single- and multiple-part
1189 encryption and decryption with SKIPJACK in 32-bit cipher feedback mode as defined in FIPS PUB 185.

1190 It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some
1191 value generated by the token – in other words, the application MAY NOT specify a particular IV when
1192 encrypting. It MAY, of course, specify a particular IV when decrypting.

1193 Constraints on key types and the length of data are summarized in the following table:

1194 *Table 36, SKIPJACK-CFB32: Data and Length*

Function	Key type	Input length	Output length	Comments
C_Encrypt	SKIPJACK	Multiple of 4	Same as input length	No final part
C_Decrypt	SKIPJACK	Multiple of 4	Same as input length	No final part

1195 2.8.10 SKIPJACK-CFB16

1196 SKIPJACK-CFB16, denoted **CKM_SKIPJACK_CFB16**, is a mechanism for single- and multiple-part
1197 encryption and decryption with SKIPJACK in 16-bit cipher feedback mode as defined in FIPS PUB 185.

1198 It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some
1199 value generated by the token – in other words, the application MAY NOT specify a particular IV when
1200 encrypting. It MAY, of course, specify a particular IV when decrypting.

1201 Constraints on key types and the length of data are summarized in the following table:

1202 *Table 37, SKIPJACK-CFB16: Data and Length*

Function	Key type	Input length	Output length	Comments
C_Encrypt	SKIPJACK	Multiple of 4	Same as input length	No final part

C_Decrypt	SKIPJACK	Multiple of 4	Same as input length	No final part
-----------	----------	---------------	----------------------	---------------

2.8.11 SKIPJACK-CFB8

SKIPJACK-CFB8, denoted **CKM_SKIPJACK_CFB8**, is a mechanism for single- and multiple-part encryption and decryption with SKIPJACK in 8-bit cipher feedback mode as defined in FIPS PUB 185.

It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some value generated by the token – in other words, the application MAY NOT specify a particular IV when encrypting. It MAY, of course, specify a particular IV when decrypting.

Constraints on key types and the length of data are summarized in the following table:

Table 38, SKIPJACK-CFB8: Data and Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	SKIPJACK	Multiple of 4	Same as input length	No final part
C_Decrypt	SKIPJACK	Multiple of 4	Same as input length	No final part

2.8.12 SKIPJACK-WRAP

The SKIPJACK-WRAP mechanism, denoted **CKM_SKIPJACK_WRAP**, is used to wrap and unwrap a secret key (MEK). It MAY wrap or unwrap SKIPJACK, BATON, and JUNIPER keys.

It does not have a parameter.

2.8.13 SKIPJACK-PRIVATE-WRAP

The SKIPJACK-PRIVATE-WRAP mechanism, denoted **CKM_SKIPJACK_PRIVATE_WRAP**, is used to wrap and unwrap a private key. It MAY wrap KEA and DSA private keys.

It has a parameter, a **CK_SKIPJACK_PRIVATE_WRAP_PARAMS** structure.

2.8.14 SKIPJACK-RELAYX

The SKIPJACK-RELAYX mechanism, denoted **CKM_SKIPJACK_RELAYX**, is used with the **C_WrapKey** function to “change the wrapping” on a private key which was wrapped with the SKIPJACK-PRIVATE-WRAP mechanism (See Section 2.8.13).

It has a parameter, a **CK_SKIPJACK_RELAYX_PARAMS** structure.

Although the SKIPJACK-RELAYX mechanism is used with **C_WrapKey**, it differs from other key-wrapping mechanisms. Other key-wrapping mechanisms take a key handle as one of the arguments to **C_WrapKey**; however for the SKIPJACK_RELAYX mechanism, the [always invalid] value 0 should be passed as the key handle for **C_WrapKey**, and the already-wrapped key should be passed in as part of the **CK_SKIPJACK_RELAYX_PARAMS** structure.

2.9 BATON

2.9.1 Definitions

This section defines the key type “CKK_BATON” for type CK_KEY_TYPE as used in the CKA_KEY_TYPE attribute of key objects.

Mechanisms:

CKM_BATON_KEY_GEN

CKM_BATON_ECB128

CKM_BATON_ECB96

1237 CKM_BATON_CBC128
1238 CKM_BATON_COUNTER
1239 CKM_BATON_SHUFFLE
1240 CKM_BATON_WRAP

1241 **2.9.2 BATON secret key objects**

1242 BATON secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_BATON**) hold single-length
1243 BATON keys. The following table defines the BATON secret key object attributes, in addition to the
1244 common attributes defined for this object class:

1245 *Table 39, BATON Secret Key Object*

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (40 bytes long)

1246 Refer to [PKCS #11-Base] table 10 for footnotes

1247

1248 BATON keys have 160 checksum bits, and these bits must be properly set. Attempting to create or
1249 unwrap a BATON key with incorrect checksum bits MUST return an error.

1250 It is not clear that any tokens exist (or will ever exist) which permit an application to create a BATON key
1251 with a specified value. Nonetheless, we provide templates for doing so.

1252 The following is a sample template for creating a BATON MEK secret key object:

```
1253 CK_OBJECT_CLASS class = CKO_SECRET_KEY;  
1254 CK_KEY_TYPE keyType = CKK_BATON;  
1255 CK_UTF8CHAR label[] = "A BATON MEK secret key object";  
1256 CK_BYTE value[40] = {...};  
1257 CK_BBOOL true = CK_TRUE;  
1258 CK_ATTRIBUTE template[] = {  
1259     {CKA_CLASS, &class, sizeof(class)},  
1260     {CKA_KEY_TYPE, &keyType, sizeof(keyType)},  
1261     {CKA_TOKEN, &true, sizeof(true)},  
1262     {CKA_LABEL, label, sizeof(label)-1},  
1263     {CKA_ENCRYPT, &true, sizeof(true)},  
1264     {CKA_VALUE, value, sizeof(value)}  
1265 };
```

1266 The following is a sample template for creating a BATON TEK secret key object:

```
1267 CK_OBJECT_CLASS class = CKO_SECRET_KEY;  
1268 CK_KEY_TYPE keyType = CKK_BATON;  
1269 CK_UTF8CHAR label[] = "A BATON TEK secret key object";  
1270 CK_BYTE value[40] = {...};  
1271 CK_BBOOL true = CK_TRUE;  
1272 CK_ATTRIBUTE template[] = {  
1273     {CKA_CLASS, &class, sizeof(class)},  
1274     {CKA_KEY_TYPE, &keyType, sizeof(keyType)},  
1275     {CKA_TOKEN, &true, sizeof(true)},  
1276     {CKA_LABEL, label, sizeof(label)-1},  
1277     {CKA_ENCRYPT, &true, sizeof(true)},  
1278     {CKA_WRAP, &true, sizeof(true)},  
1279     {CKA_VALUE, value, sizeof(value)}  
1280 };
```

1281 **2.9.3 BATON key generation**

1282 The BATON key generation mechanism, denoted **CKM_BATON_KEY_GEN**, is a key generation
1283 mechanism for BATON. The output of this mechanism is called a Message Encryption Key (MEK).

It does not have a parameter.

The mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE**, and **CKA_VALUE** attributes to the new key.

2.9.4 BATON-ECB128

BATON-ECB128, denoted **CKM_BATON_ECB128**, is a mechanism for single- and multiple-part encryption and decryption with BATON in 128-bit electronic codebook mode.

It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some value generated by the token – in other words, the application MAY NOT specify a particular IV when encrypting. It MAY, of course, specify a particular IV when decrypting.

Constraints on key types and the length of data are summarized in the following table:

Table 40, BATON-ECB128: Data and Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	BATON	Multiple of 16	Same as input length	No final part
C_Decrypt	BATON	Multiple of 16	Same as input length	No final part

2.9.5 BATON-ECB96

BATON-ECB96, denoted **CKM_BATON_ECB96**, is a mechanism for single- and multiple-part encryption and decryption with BATON in 96-bit electronic codebook mode.

It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some value generated by the token – in other words, the application MAY NOT specify a particular IV when encrypting. It MAY, of course, specify a particular IV when decrypting.

Constraints on key types and the length of data are summarized in the following table:

Table 41, BATON-ECB96: Data and Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	BATON	Multiple of 12	Same as input length	No final part
C_Decrypt	BATON	Multiple of 12	Same as input length	No final part

2.9.6 BATON-CBC128

BATON-CBC128, denoted **CKM_BATON_CBC128**, is a mechanism for single- and multiple-part encryption and decryption with BATON in 128-bit cipher-block chaining mode.

It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some value generated by the token – in other words, the application MAY NOT specify a particular IV when encrypting. It MAY, of course, specify a particular IV when decrypting.

Constraints on key types and the length of data are summarized in the following table:

Table 42, BATON-CBC128

Function	Key type	Input length	Output length	Comments
C_Encrypt	BATON	Multiple of 16	Same as input length	No final part
C_Decrypt	BATON	Multiple of 16	Same as input length	No final part

2.9.7 BATON-COUNTER

BATON-COUNTER, denoted **CKM_BATON_COUNTER**, is a mechanism for single- and multiple-part encryption and decryption with BATON in counter mode.

It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some value generated by the token – in other words, the application MAY NOT specify a particular IV when encrypting. It MAY, of course, specify a particular IV when decrypting.

Constraints on key types and the length of data are summarized in the following table:

Table 43, BATON-COUNTER: Data and Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	BATON	Multiple of 16	Same as input length	No final part
C_Decrypt	BATON	Multiple of 16	Same as input length	No final part

2.9.8 BATON-SHUFFLE

BATON-SHUFFLE, denoted **CKM_BATON_SHUFFLE**, is a mechanism for single- and multiple-part encryption and decryption with BATON in shuffle mode.

It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some value generated by the token – in other words, the application MAY NOT specify a particular IV when encrypting. It MAY, of course, specify a particular IV when decrypting.

Constraints on key types and the length of data are summarized in the following table:

Table 44, BATON-SHUFFLE: Data and Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	BATON	Multiple of 16	Same as input length	No final part
C_Decrypt	BATON	Multiple of 16	Same as input length	No final part

2.9.9 BATON WRAP

The BATON wrap and unwrap mechanism, denoted **CKM_BATON_WRAP**, is a function used to wrap and unwrap a secret key (MEK). It MAY wrap and unwrap SKIPJACK, BATON and JUNIPER keys.

It has no parameters.

When used to unwrap a key, this mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE**, and **CKA_VALUE** attributes to it.

2.10 JUNIPER

2.10.1 Definitions

This section defines the key type “CKK_JUNIPER” for type CK_KEY_TYPE as used in the CKA_KEY_TYPE attribute of key objects.

Mechanisms:

CKM_JUNIPER_KEY_GEN

CKM_JUNIPER_ECB128

CKM_JUNIPER_CBC128

CKM_JUNIPER_COUNTER

CKM_JUNIPER_SHUFFLE

1343 CKM_JUNIPER_WRAP

1344 **2.10.2 JUNIPER secret key objects**

1345 JUNIPER secret key objects (object class **CKO_SECRET_KEY**, key type **CKK_JUNIPER**) hold single-
1346 length JUNIPER keys. The following table defines the BATON secret key object attributes, in addition to
1347 the common attributes defined for this object class:

1348 *Table 45, JUNIPER Secret Key Object*

Attribute	Data type	Meaning
CKA_VALUE ^{1,4,6,7}	Byte array	Key value (40 bytes long)

1349 Refer to [PKCS #11-Base] table 10 for footnotes

1350
1351 JUNIPER keys have 160 checksum bits, and these bits must be properly set. Attempting to create or
1352 unwrap a BATON key with incorrect checksum bits MUST return an error.
1353 It is not clear that any tokens exist (or will ever exist) which permit an application to create a BATON key
1354 with a specified value. Nonetheless, we provide templates for doing so.

1355 The following is a sample template for creating a JUNIPER MEK secret key object:

```
1356 CK_OBJECT_CLASS class = CKO_SECRET_KEY;  
1357 CK_KEY_TYPE keyType = CKK_JUNIPER;  
1358 CK_UTF8CHAR label[] = "A JUNIPER MEK secret key object";  
1359 CK_BYTE value[40] = {...};  
1360 CK_BBOOL true = CK_TRUE;  
1361 CK_ATTRIBUTE template[] = {  
1362     {CKA_CLASS, &class, sizeof(class)},  
1363     {CKA_KEY_TYPE, &keyType, sizeof(keyType)},  
1364     {CKA_TOKEN, &true, sizeof(true)},  
1365     {CKA_LABEL, label, sizeof(label)-1},  
1366     {CKA_ENCRYPT, &true, sizeof(true)},  
1367     {CKA_VALUE, value, sizeof(value)}  
1368 };
```

1369 The following is a sample template for creating a JUNIPER TEK secret key object:

```
1370 CK_OBJECT_CLASS class = CKO_SECRET_KEY;  
1371 CK_KEY_TYPE keyType = CKK_JUNIPER;  
1372 CK_UTF8CHAR label[] = "A JUNIPER TEK secret key object";  
1373 CK_BYTE value[40] = {...};  
1374 CK_BBOOL true = CK_TRUE;  
1375 CK_ATTRIBUTE template[] = {  
1376     {CKA_CLASS, &class, sizeof(class)},  
1377     {CKA_KEY_TYPE, &keyType, sizeof(keyType)},  
1378     {CKA_TOKEN, &true, sizeof(true)},  
1379     {CKA_LABEL, label, sizeof(label)-1},  
1380     {CKA_ENCRYPT, &true, sizeof(true)},  
1381     {CKA_WRAP, &true, sizeof(true)},  
1382     {CKA_VALUE, value, sizeof(value)}  
1383 };
```

1384 **2.10.3 JUNIPER key generation**

1385 The JUNIPER key generation mechanism, denoted **CKM_JUNIPER_KEY_GEN**, is a key generation
1386 mechanism for JUNIPER. The output of this mechanism is called a Message Encryption Key (MEK).
1387 It does not have a parameter.

1388 The mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE**, and **CKA_VALUE** attributes to the new
1389 key.

2.10.4 JUNIPER-ECB128

JUNIPER-ECB128, denoted **CKM_JUNIPER_ECB128**, is a mechanism for single- and multiple-part encryption and decryption with JUNIPER in 128-bit electronic codebook mode.

It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some value generated by the token – in other words, the application MAY NOT specify a particular IV when encrypting. It MAY, of course, specify a particular IV when decrypting.

Constraints on key types and the length of data are summarized in the following table. For encryption and decryption, the input and output data (parts) MAY begin at the same location in memory.

Table 46, JUNIPER-ECB128: Data and Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	JUNIPER	Multiple of 16	Same as input length	No final part
C_Decrypt	JUNIPER	Multiple of 16	Same as input length	No final part

2.10.5 JUNIPER-CBC128

JUNIPER-CBC128, denoted **CKM_JUNIPER_CBC128**, is a mechanism for single- and multiple-part encryption and decryption with JUNIPER in 128-bit cipher block chaining mode.

It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some value generated by the token – in other words, the application MAY NOT specify a particular IV when encrypting. It MAY, of course, specify a particular IV when decrypting.

Constraints on key types and the length of data are summarized in the following table. For encryption and decryption, the input and output data (parts) MAY begin at the same location in memory.

Table 47, JUNIPER-CBC128: Data and Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	JUNIPER	Multiple of 16	Same as input length	No final part
C_Decrypt	JUNIPER	Multiple of 16	Same as input length	No final part

2.10.6 JUNIPER-COUNTER

JUNIPER-COUNTER, denoted **CKM_JUNIPER_COUNTER**, is a mechanism for single- and multiple-part encryption and decryption with JUNIPER in counter mode.

It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some value generated by the token – in other words, the application MAY NOT specify a particular IV when encrypting. It MAY, of course, specify a particular IV when decrypting.

Constraints on key types and the length of data are summarized in the following table. For encryption and decryption, the input and output data (parts) MAY begin at the same location in memory.

Table 48, JUNIPER-COUNTER: Data and Length

Function	Key type	Input length	Output length	Comments
C_Encrypt	JUNIPER	Multiple of 16	Same as input length	No final part
C_Decrypt	JUNIPER	Multiple of 16	Same as input length	No final part

2.10.7 JUNIPER-SHUFFLE

JUNIPER-SHUFFLE, denoted **CKM_JUNIPER_SHUFFLE**, is a mechanism for single- and multiple-part encryption and decryption with JUNIPER in shuffle mode.

1420 It has a parameter, a 24-byte initialization vector. During an encryption operation, this IV is set to some
1421 value generated by the token – in other words, the application MAY NOT specify a particular IV when
1422 encrypting. It MAY, of course, specify a particular IV when decrypting.

1423 Constraints on key types and the length of data are summarized in the following table. For encryption
1424 and decryption, the input and output data (parts) MAY begin at the same location in memory.

1425 *Table 49, JUNIPER-SHUFFLE: Data and Length*

Function	Key type	Input length	Output length	Comments
C_Encrypt	JUNIPER	Multiple of 16	Same as input length	No final part
C_Decrypt	JUNIPER	Multiple of 16	Same as input length	No final part

1426 2.10.8 JUNIPER WRAP

1427 The JUNIPER wrap and unwrap mechanism, denoted **CKM_JUNIPER_WRAP**, is a function used to wrap
1428 and unwrap an MEK. It MAY wrap or unwrap SKIPJACK, BATON and JUNIPER keys.

1429 It has no parameters.

1430 When used to unwrap a key, this mechanism contributes the **CKA_CLASS**, **CKA_KEY_TYPE**, and
1431 **CKA_VALUE** attributes to it.

1432 2.11 MD2

1433 2.11.1 Definitions

1434 Mechanisms:

1435 CKM_MD2

1436 CKM_MD2_HMAC

1437 CKM_MD2_HMAC_GENERAL

1438 CKM_MD2_KEY_DERIVATION

1439 2.11.2 MD2 digest

1440 The MD2 mechanism, denoted **CKM_MD2**, is a mechanism for message digesting, following the MD2
1441 message-digest algorithm defined in RFC 6149.

1442 It does not have a parameter.

1443 Constraints on the length of data are summarized in the following table:

1444 *Table 50, MD2: Data Length*

Function	Data length	Digest Length
C_Digest	Any	16

1445 2.11.3 General-length MD2-HMAC

1446 The general-length MD2-HMAC mechanism, denoted **CKM_MD2_HMAC_GENERAL**, is a mechanism for
1447 signatures and verification. It uses the HMAC construction, based on the MD2 hash function. The keys it
1448 uses are generic secret keys.

1449 It has a parameter, a **CK_MAC_GENERAL_PARAMS**, which holds the length in bytes of the desired
1450 output. This length should be in the range 0-16 (the output size of MD2 is 16 bytes). Signatures (MACs)
1451 produced by this mechanism MUST be taken from the start of the full 16-byte HMAC output.

Table 51, General-length MD2-HMAC: Key and Data Length

Function	Key type	Data length	Signature length
C_Sign	Generic secret	Any	0-16, depending on parameters
C_Verify	Generic secret	Any	0-16, depending on parameters

2.11.4 MD2-HMAC

The MD2-HMAC mechanism, denoted **CKM_MD2_HMAC**, is a special case of the general-length MD2-HMAC mechanism in Section 2.11.3.

It has no parameter, and produces an output of length 16.

2.11.5 MD2 key derivation

MD2 key derivation, denoted **CKM_MD2_KEY_DERIVATION**, is a mechanism which provides the capability of deriving a secret key by digesting the value of another secret key with MD2.

The value of the base key is digested once, and the result is used to make the value of the derived secret key.

- If no length or key type is provided in the template, then the key produced by this mechanism MUST be a generic secret key. Its length MUST be 16 bytes (the output size of MD2)..
- If no key type is provided in the template, but a length is, then the key produced by this mechanism MUST be a generic secret key of the specified length.
- If no length was provided in the template, but a key type is, then that key type must have a well-defined length. If it does, then the key produced by this mechanism MUST be of the type specified in the template. If it doesn't, an error MUST be returned.
- If both a key type and a length are provided in the template, the length must be compatible with that key type. The key produced by this mechanism MUST be of the specified type and length.

If a DES, DES2, or CDMF key is derived with this mechanism, the parity bits of the key MUST be set properly.

If the requested type of key requires more than 16 bytes, such as DES2, an error is generated.

This mechanism has the following rules about key sensitivity and extractability:

- The **CKA_SENSITIVE** and **CKA_EXTRACTABLE** attributes in the template for the new key MAY both be specified to be either CK_TRUE or CK_FALSE. If omitted, these attributes each take on some default value.
- If the base key has its **CKA_ALWAYS_SENSITIVE** attribute set to CK_FALSE, then the derived key MUST as well. If the base key has its **CKA_ALWAYS_SENSITIVE** attribute set to CK_TRUE, then the derived key has its **CKA_ALWAYS_SENSITIVE** attribute set to the same value as its **CKA_SENSITIVE** attribute.
- Similarly, if the base key has its **CKA_NEVER_EXTRACTABLE** attribute set to CK_FALSE, then the derived key MUST, too. If the base key has its **CKA_NEVER_EXTRACTABLE** attribute set to CK_TRUE, then the derived key has its **CKA_NEVER_EXTRACTABLE** attribute set to the *opposite* value from its **CKA_EXTRACTABLE** attribute.

2.12 MD5

2.12.1 Definitions

Mechanisms:

CKM_MD5

CKM_MD5_HMAC

1491 CKM_MD5_HMAC_GENERAL
1492 CKM_MD5_KEY_DERIVATION

1493 2.12.2 MD5 Digest

1494 The MD5 mechanism, denoted **CKM_MD5**, is a mechanism for message digesting, following the MD5
1495 message-digest algorithm defined in RFC 1321.

1496 It does not have a parameter.

1497 Constraints on the length of input and output data are summarized in the following table. For single-part
1498 digesting, the data and the digest MAY begin at the same location in memory.

1499 *Table 52, MD5: Data Length*

Function	Data length	Digest length
C_Digest	Any	16

1500 2.12.3 General-length MD5-HMAC

1501 The general-length MD5-HMAC mechanism, denoted **CKM_MD5_HMAC_GENERAL**, is a mechanism for
1502 signatures and verification. It uses the HMAC construction, based on the MD5 hash function. The keys it
1503 uses are generic secret keys.

1504 It has a parameter, a **CK_MAC_GENERAL_PARAMS**, which holds the length in bytes of the desired
1505 output. This length should be in the range 0-16 (the output size of MD5 is 16 bytes). Signatures (MACs)
1506 produced by this mechanism MUST be taken from the start of the full 16-byte HMAC output.

1507 *Table 53, General-length MD5-HMAC: Key and Data Length*

Function	Key type	Data length	Signature length
C_Sign	Generic secret	Any	0-16, depending on parameters
C_Verify	Generic secret	Any	0-16, depending on parameters

1508 2.12.4 MD5-HMAC

1509 The MD5-HMAC mechanism, denoted **CKM_MD5_HMAC**, is a special case of the general-length MD5-
1510 HMAC mechanism in Section 2.12.3.

1511 It has no parameter, and produces an output of length 16.

1512 2.12.5 MD5 key derivation

1513 MD5 key derivation denoted **CKM_MD5_KEY_DERIVATION**, is a mechanism which provides the
1514 capability of deriving a secret key by digesting the value of another secret key with MD5.

1515 The value of the base key is digested once, and the result is used to make the value of derived secret
1516 key.

- 1517 • If no length or key type is provided in the template, then the key produced by this mechanism MUST
1518 be a generic secret key. Its length MUST be 16 bytes (the output size of MD5).
- 1519 • If no key type is provided in the template, but a length is, then the key produced by this mechanism
1520 MUST be a generic secret key of the specified length.
- 1521 • If no length was provided in the template, but a key type is, then that key type must have a well-
1522 defined length. If it does, then the key produced by this mechanism MUST be of the type specified in
1523 the template. If it doesn't, an error MUST be returned.
- 1524 • If both a key type and a length are provided in the template, the length must be compatible with that
1525 key type. The key produced by this mechanism MUST be of the specified type and length.

If a DES, DES2, or CDMF key is derived with this mechanism, the parity bits of the key **MUST** be set properly.

If the requested type of key requires more than 16 bytes, such as DES3, an error is generated.

This mechanism has the following rules about key sensitivity and extractability.

- The **CKA_SENSITIVE** and **CKA_EXTRACTABLE** attributes in the template for the new key **MAY** both be specified to either CK_TRUE or CK_FALSE. If omitted, these attributes each take on some default value.
- If the base key has its **CKA_ALWAYS_SENSITIVE** attribute set to CK_FALSE, then the derived key **MUST** as well. If the base key has its **CKA_ALWAYS_SENSITIVE** attribute set to CK_TRUE, then the derived key has its **CKA_ALWAYS_SENSITIVE** attribute set to the same value as its **CKA_SENSITIVE** attribute.
- Similarly, if the base key has its **CKA_NEVER_EXTRACTABLE** attribute set to CK_FALSE, then the derived key **MUST**, too. If the base key has its **CKA_NEVER_EXTRACTABLE** attribute set to CK_TRUE, then the derived key has its **CKA_NEVER_EXTRACTABLE** attribute set to the *opposite* value from its **CKA_EXTRACTABLE** attribute.

2.13 FASTHASH

2.13.1 Definitions

Mechanisms:
CKM_FASTHASH

2.13.2 FASTHASH digest

The FASTHASH mechanism, denoted **CKM_FASTHASH**, is a mechanism for message digesting, following the U.S. government's algorithm.

It does not have a parameter.

Constraints on the length of input and output data are summarized in the following table:

Table 54, FASTHASH: Data Length

Function	Input length	Digest length
C_Digest	Any	40

2.14 PKCS #5 and PKCS #5-style password-based encryption (PBD)

2.14.1 Definitions

The mechanisms in this section are for generating keys and IVs for performing password-based encryption. The method used to generate keys and IVs is specified in PKCS #5.

Mechanisms:

- CKM_PBE_MD2_DES_CBC
- CKM_PBE_MD5_DES_CBC
- CKM_PBE_MD5_CAST_CBC
- CKM_PBE_MD5_CAST3_CBC
- CKM_PBE_MD5_CAST5_CBC
- CKM_PBE_MD5_CAST128_CBC
- CKM_PBE_SHA1_CAST5_CBC
- CKM_PBE_SHA1_CAST128_CBC

1564 CKM_PBE_SHA1_RC4_128
 1565 CKM_PBE_SHA1_RC4_40
 1566 CKM_PBE_SHA1_RC2_128_CBC
 1567 CKM_PBE_SHA1_RC2_40_CBC

1568 2.14.2 Password-based encryption/authentication mechanism parameters

1569 2.14.2.1 CK_PBE_PARAMS; CK_PBE_PARAMS_PTR

1570 **CK_PBE_PARAMS** is a structure which provides all of the necessary information required by the
 1571 CKM_PBE mechanisms (see PKCS #5 and PKCS #12 for information on the PBE generation
 1572 mechanisms) and the CKM_PBA_SHA1_WITH_SHA1_HMAC mechanism. It is defined as follows:

```
1573 typedef struct CK_PBE_PARAMS {  
1574     CK_BYTE_PTR pInitVector;  
1575     CK_UTF8CHAR_PTR pPassword;  
1576     CK_ULONG ulPasswordLen;  
1577     CK_BYTE_PTR pSalt;  
1578     CK_ULONG ulSaltLen;  
1579     CK_ULONG ulIteration;  
1580 } CK_PBE_PARAMS;
```

1581 The fields of the structure have the following meanings:

1582	<i>pInitVector</i>	pointer to the location that receives the 8-byte initialization vector (IV), if an IV is required
1583		
1584	<i>pPassword</i>	points to the password to be used in the PBE key generation
1585		
1586	<i>ulPasswordLen</i>	length in bytes of the password information
1587	<i>pSalt</i>	points to the salt to be used in the PBE key generation
1588	<i>ulSaltLen</i>	length in bytes of the salt information
1589	<i>ulIteration</i>	number of iterations required for the generation

1590 **CK_PBE_PARAMS_PTR** is a pointer to a **CK_PBE_PARAMS**.

1591 2.14.3 MD2-PBE for DES-CBC

1592 MD2-PBE for DES-CBC, denoted **CKM_PBE_MD2_DES_CBC**, is a mechanism used for generating a
 1593 DES secret key and an IV from a password and a salt value by using the MD2 digest algorithm and an
 1594 iteration count. This functionality is defined in PKCS #5 as PBKDF1.

1595 It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the
 1596 key generation process and the location of the application-supplied buffer which receives the 8-byte IV
 1597 generated by the mechanism.

1598 2.14.4 MD5-PBE for DES-CBC

1599 MD5-PBE for DES-CBC, denoted **CKM_PBE_MD5_DES_CBC**, is a mechanism used for generating a
 1600 DES secret key and an IV from a password and a salt value by using the MD5 digest algorithm and an
 1601 iteration count. This functionality is defined in PKCS #5 as PBKDF1.

It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the key generation process and the location of the application-supplied buffer which receives the 8-byte IV generated by the mechanism.

2.14.5 MD5-PBE for CAST-CBC

MD5-PBE for CAST-CBC, denoted **CKM_PBE_MD5_CAST_CBC**, is a mechanism used for generating a CAST secret key and an IV from a password and a salt value by using the MD5 digest algorithm and an iteration count. This functionality is analogous to that defined in PKCS #5 PBKDF1 for MD5 and DES.

It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the key generation process and the location of the application-supplied buffer which receives the 8-byte IV generated by the mechanism

The length of the CAST key generated by this mechanism MAY be specified in the supplied template; if it is not present in the template, it defaults to 8 bytes.

2.14.6 MD5-PBE for CAST3-CBC

MD5-PBE for CAST3-CBC, denoted **CKM_PBE_MD5_CAST3_CBC**, is a mechanism used for generating a CAST3 secret key and an IV from a password and a salt value by using the MD5 digest algorithm and an iteration count. This functionality is analogous to that defined in PKCS #5 PBKDF1 for MD5 and DES.

It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the key generation process and the location of the application-supplied buffer which receives the 8-byte IV generated by the mechanism

The length of the CAST3 key generated by this mechanism MAY be specified in the supplied template; if it is not present in the template, it defaults to 8 bytes.

2.14.7 MD5-PBE for CAST128-CBC (CAST5-CBC)

MD5-PBE for CAST128-CBC (CAST5-CBC), denoted **CKM_PBE_MD5_CAST128_CBC** or **CKM_PBE_MD5_CAST5_CBC**, is a mechanism used for generating a CAST128 (CAST5) secret key and an IV from a password and a salt value by using the MD5 digest algorithm and an iteration count. This functionality is analogous to that defined in PKCS #5 PBKDF1 for MD5 and DES.

It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the key generation process and the location of the application-supplied buffer which receives the 8-byte IV generated by the mechanism

The length of the CAST128 (CAST5) key generated by this mechanism MAY be specified in the supplied template; if it is not present in the template, it defaults to 8 bytes.

2.14.8 SHA-1-PBE for CAST128-CBC (CAST5-CBC)

SHA-1-PBE for CAST128-CBC (CAST5-CBC), denoted **CKM_PBE_SHA1_CAST128_CBC** or **CKM_PBE_SHA1_CAST5_CBC**, is a mechanism used for generating a CAST128 (CAST5) secret key and an IV from a password and salt value using the SHA-1 digest algorithm and an iteration count. This functionality is analogous to that defined in PKCS #5 PBKDF1 for MD5 and DES.

It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the key generation process and the location of the application-supplied buffer which receives the 8-byte IV generated by the mechanism

The length of the CAST128 (CAST5) key generated by this mechanism MAY be specified in the supplied template; if it is not present in the template, it defaults to 8 bytes

2.15 PKCS #12 password-based encryption/authentication mechanisms

2.15.1 Definitions

The mechanisms in this section are for generating keys and IVs for performing password-based encryption or authentication. The method used to generate keys and IVs is based on a method that was specified in PKCS #12.

We specify here a general method for producing various types of pseudo-random bits from a password, p ; a string of salt bits, s ; and an iteration count, c . The “type” of pseudo-random bits to be produced is identified by an identification byte, ID , described at the end of this section.

Let H be a hash function built around a compression function $f: \mathbf{Z}_2^u \times \mathbf{Z}_2^v \rightarrow \mathbf{Z}_2^u$ (that is, H has a chaining variable and output of length u bits, and the message input to the compression function of H is v bits). For MD2 and MD5, $u=128$ and $v=512$; for SHA-1, $u=160$ and $v=512$.

We assume here that u and v are both multiples of 8, as are the lengths in bits of the password and salt strings and the number n of pseudo-random bits required. In addition, u and v are of course nonzero.

1. Construct a string, D (the “diversifier”), by concatenating $v/8$ copies of ID .
2. Concatenate copies of the salt together to create a string S of length $v \lceil s/v \rceil$ bits (the final copy of the salt MAY be truncated to create S). Note that if the salt is the empty string, then so is S .
3. Concatenate copies of the password together to create a string P of length $v \lceil p/v \rceil$ bits (the final copy of the password MAY be truncated to create P). Note that if the password is the empty string, then so is P .
4. Set $I = S || P$ to be the concatenation of S and P .
5. Set $j = \lceil n/u \rceil$.
6. For $i=1, 2, \dots, j$, do the following:
 - a. Set $A_i = H_c(D || I)$, the c th hash of $D || I$. That is, compute the hash of $D || I$; compute the hash of that hash; etc.; continue in this fashion until a total of c hashes have been computed, each on the result of the previous hash.
 - b. Concatenate copies of A_i to create a string B of length v bits (the final copy of A_i MAY be truncated to create B).
 - c. Treating I as a concatenation $I_0, I_1, \dots, I_{k-1}$ of v -bit blocks, where $k = \lceil s/v \rceil + \lceil p/v \rceil$, modify I by setting $I_j = (I_j + B + 1) \bmod 2^v$ for each j . To perform this addition, treat each v -bit block as a binary number represented most-significant bit first.
7. Concatenate $A_1, A_2, \dots, A_j$ together to form a pseudo-random bit string, A .
8. Use the first n bits of A as the output of this entire process.

When the password-based encryption mechanisms presented in this section are used to generate a key and IV (if needed) from a password, salt, and an iteration count, the above algorithm is used. To generate a key, the identifier byte ID is set to the value 1; to generate an IV, the identifier byte ID is set to the value 2.

When the password-based authentication mechanism presented in this section is used to generate a key from a password, salt and an iteration count, the above algorithm is used. The identifier ID is set to the value 3.

2.15.2 SHA-1-PBE for 128-bit RC4

SHA-1-PBE for 128-bit RC4, denoted **CKM_PBE_SHA1_RC4_128**, is a mechanism used for generating a 128-bit RC4 secret key from a password and a salt value by using the SHA-1 digest algorithm and an iteration count. The method used to generate the key is described above.

It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the key generation process. The parameter also has a field to hold the location of an application-supplied buffer which receives an IV; for this mechanism, the contents of this field are ignored, since RC4 does not require an IV.

The key produced by this mechanism will typically be used for performing password-based encryption.

2.15.3 SHA-1_PBE for 40-bit RC4

SHA-1-PBE for 40-bit RC4, denoted **CKM_PBE_SHA1_RC4_40**, is a mechanism used for generating a 40-bit RC4 secret key from a password and a salt value by using the SHA-1 digest algorithm and an iteration count. The method used to generate the key is described above.

It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the key generation process. The parameter also has a field to hold the location of an application-supplied buffer which receives an IV; for this mechanism, the contents of this field are ignored, since RC4 does not require an IV.

The key produced by this mechanism will typically be used for performing password-based encryption.

2.15.4 SHA-1_PBE for 128-bit RC2-CBC

SHA-1-PBE for 128-bit RC2-CBC, denoted **CKM_PBE_SHA1_RC2_128_CBC**, is a mechanism used for generating a 128-bit RC2 secret key from a password and a salt value by using the SHA-1 digest algorithm and an iteration count. The method used to generate the key and IV is described above.

It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the key generation process and the location of an application-supplied buffer which receives the 8-byte IV generated by the mechanism.

When the key and IV generated by this mechanism are used to encrypt or decrypt, the effective number of bits in the RC2 search space should be set to 128. This ensures compatibility with the ASN.1 Object Identifier `pbeWithSHA1And128BitRC2-CBC`.

The key and IV produced by this mechanism will typically be used for performing password-based encryption.

2.15.5 SHA-1_PBE for 40-bit RC2-CBC

SHA-1-PBE for 40-bit RC2-CBC, denoted **CKM_PBE_SHA1_RC2_40_CBC**, is a mechanism used for generating a 40-bit RC2 secret key from a password and a salt value by using the SHA-1 digest algorithm and an iteration count. The method used to generate the key and IV is described above.

It has a parameter, a **CK_PBE_PARAMS** structure. The parameter specifies the input information for the key generation process and the location of an application-supplied buffer which receives the 8-byte IV generated by the mechanism.

When the key and IV generated by this mechanism are used to encrypt or decrypt, the effective number of bits in the RC2 search space should be set to 40. This ensures compatibility with the ASN.1 Object Identifier `pbeWithSHA1And40BitRC2-CBC`.

The key and IV produced by this mechanism will typically be used for performing password-based encryption

2.16 RIPE-MD

2.16.1 Definitions

Mechanisms:

CKM_RIPEMD128

CKM_RIPEMD128_HMAC

1730 CKM_RIPEMD128_HMAC_GENERAL
1731 CKM_RIPEMD160
1732 CKM_RIPEMD160_HMAC
1733 CKM_RIPEMD160_HMAC_GENERAL

1734 2.16.2 RIPE-MD 128 Digest

1735 The RIPE-MD 128 mechanism, denoted **CKM_RIPEMD128**, is a mechanism for message
1736 digesting, following the RIPE-MD 128 message-digest algorithm.

1737 It does not have a parameter.

1738 Constraints on the length of data are summarized in the following table:

1739 *Table 55, RIPE-MD 128: Data Length*

Function	Data length	Digest length
C_Digest	Any	16

1740

1741 2.16.3 General-length RIPE-MD 128-HMAC

1742 The general-length RIPE-MD 128-HMAC mechanism, denoted **CKM_RIPEMD128_HMAC_GENERAL**, is
1743 a mechanism for signatures and verification. It uses the HMAC construction, based on the RIPE-MD 128
1744 hash function. The keys it uses are generic secret keys.

1745 It has a parameter, a **CK_MAC_GENERAL_PARAMS**, which holds the length in bytes of the desired
1746 output. This length should be in the range 0-16 (the output size of RIPE-MD 128 is 16 bytes). Signatures
1747 (MACs) produced by this mechanism MUST be taken from the start of the full 16-byte HMAC output.

1748 *Table 56, General-length RIPE-MD 128-HMAC*

Function	Key type	Data length	Signature length
C_Sign	Generic secret	Any	0-16, depending on parameters
C_Verify	Generic secret	Any	0-16, depending on parameters

1749 2.16.4 RIPE-MD 128-HMAC

1750 The RIPE-MD 128-HMAC mechanism, denoted **CKM_RIPEMD128_HMAC**, is a special case of the
1751 general-length RIPE-MD 128-HMAC mechanism in Section 2.16.3.

1752 It has no parameter, and produces an output of length 16.

1753 2.16.5 RIPE-MD 160

1754 The RIPE-MD 160 mechanism, denoted **CKM_RIPEMD160**, is a mechanism for message digesting,
1755 following the RIPE-MD 160 message-digest defined in ISO-10118.

1756 It does not have a parameter.

1757 Constraints on the length of data are summarized in the following table:

1758 *Table 57, RIPE-MD 160: Data Length*

Function	Data length	Digest length
C_Digest	Any	20

2.16.6 General-length RIPE-MD 160-HMAC

The general-length RIPE-MD 160-HMAC mechanism, denoted **CKM_RIPEMD160_HMAC_GENERAL**, is a mechanism for signatures and verification. It uses the HMAC construction, based on the RIPE-MD 160 hash function. The keys it uses are generic secret keys.

It has a parameter, a **CK_MAC_GENERAL_PARAMS**, which holds the length in bytes of the desired output. This length should be in the range 0-20 (the output size of RIPE-MD 160 is 20 bytes). Signatures (MACs) produced by this mechanism MUST be taken from the start of the full 20-byte HMAC output.

Table 58, General-length RIPE-MD 160-HMAC: Data and Length

Function	Key type	Data length	Signature length
C_Sign	Generic secret	Any	0-20, depending on parameters
C_Verify	Generic secret	Any	0-20, depending on parameters

2.16.7 RIPE-MD 160-HMAC

The RIPE-MD 160-HMAC mechanism, denoted **CKM_RIPEMD160_HMAC**, is a special case of the general-length RIPE-MD 160HMAC mechanism in Section 2.16.6.

It has no parameter, and produces an output of length 20.

2.17 SET

2.17.1 Definitions

Mechanisms:

CKM_KEY_WRAP_SET_OAEP

2.17.2 SET mechanism parameters

2.17.2.1 CK_KEY_WRAP_SET_OAEP_PARAMS; CK_KEY_WRAP_SET_OAEP_PARAMS_PTR

CK_KEY_WRAP_SET_OAEP_PARAMS is a structure that provides the parameters to the **CKM_KEY_WRAP_SET_OAEP** mechanism. It is defined as follows:

```
typedef struct CK_KEY_WRAP_SET_OAEP_PARAMS {  
    CK_BYTE bBC;  
    CK_BYTE_PTR pX;  
    CK_ULONG ulXLen;  
} CK_KEY_WRAP_SET_OAEP_PARAMS;
```

The fields of the structure have the following meanings:

bBC block contents byte

pX concatenation of hash of plaintext data (if present) and
extra data (if present)

ulXLen length in bytes of concatenation of hash of plaintext data
(if present) and extra data (if present). 0 if neither is
present.

CK_KEY_WRAP_SET_OAEP_PARAMS_PTR is a pointer to a
CK_KEY_WRAP_SET_OAEP_PARAMS.

2.17.3 OAEP key wrapping for SET

The OAEP key wrapping for SET mechanism, denoted **CKM_KEY_WRAP_SET_OAEP**, is a mechanism for wrapping and unwrapping a DES key with an RSA key. The hash of some plaintext data and/or some extra data MAY be wrapped together with the DES key. This mechanism is defined in the SET protocol specifications.

It takes a parameter, a **CK_KEY_WRAP_SET_OAEP_PARAMS** structure. This structure holds the "Block Contents" byte of the data and the concatenation of the hash of plaintext data (if present) and the extra data to be wrapped (if present). If neither the hash nor the extra data is present, this is indicated by the *uIXLen* field having the value 0.

When this mechanism is used to unwrap a key, the concatenation of the hash of plaintext data (if present) and the extra data (if present) is returned following the convention described [PKCS #11-Curr], **Miscellaneous simple key derivation mechanisms**. Note that if the inputs to **C_UnwrapKey** are such that the extra data is not returned (e.g. the buffer supplied in the **CK_KEY_WRAP_SET_OAEP_PARAMS** structure is **NULL_PTR**), then the unwrapped key object MUST NOT be created, either.

Be aware that when this mechanism is used to unwrap a key, the *bBC* and *pX* fields of the parameter supplied to the mechanism MAY be modified.

If an application uses **C_UnwrapKey** with **CKM_KEY_WRAP_SET_OAEP**, it may be preferable for it simply to allocate a 128-byte buffer for the concatenation of the hash of plaintext data and the extra data (this concatenation MUST NOT be larger than 128 bytes), rather than calling **C_UnwrapKey** twice. Each call of **C_UnwrapKey** with **CKM_KEY_WRAP_SET_OAEP** requires an RSA decryption operation to be performed, and this computational overhead MAY be avoided by this means.

2.18 LYNKS

2.18.1 Definitions

Mechanisms:

CKM_KEY_WRAP_LYNKS

2.18.2 LYNKS key wrapping

The LYNKS key wrapping mechanism, denoted **CKM_KEY_WRAP_LYNKS**, is a mechanism for wrapping and unwrapping secret keys with DES keys. It MAY wrap any 8-byte secret key, and it produces a 10-byte wrapped key, containing a cryptographic checksum.

It does not have a parameter.

To wrap an 8-byte secret key *K* with a DES key *W*, this mechanism performs the following steps:

1. Initialize two 16-bit integers, *sum*₁ and *sum*₂, to 0
2. Loop through the bytes of *K* from first to last.
3. Set *sum*₁ = *sum*₁ + the key byte (treat the key byte as a number in the range 0-255).
4. Set *sum*₂ = *sum*₂ + *sum*₁.
5. Encrypt *K* with *W* in ECB mode, obtaining an encrypted key, *E*.
6. Concatenate the last 6 bytes of *E* with *sum*₂, representing *sum*₂ most-significant bit first. The result is an 8-byte block, *T*
7. Encrypt *T* with *W* in ECB mode, obtaining an encrypted checksum, *C*.
8. Concatenate *E* with the last 2 bytes of *C* to obtain the wrapped key.

When unwrapping a key with this mechanism, if the cryptographic checksum does not check out properly, an error is returned. In addition, if a DES key or CDMF key is unwrapped with this mechanism, the parity bits on the wrapped key must be set appropriately. If they are not set properly, an error is returned.

1839 **3 PKCS #11 Implementation Conformance**

1840 An implementation is a conforming implementation if it meets the conditions specified in one or more
1841 server profiles specified in **[PKCS #11-Prof]**.

1842 A PKCS #11 implementation SHALL be a conforming PKCS #11 implementation.

1843 If a PKCS #11 implementation claims support for a particular profile, then the implementation SHALL
1844 conform to all normative statements within the clauses specified for that profile and for any subclauses to
1845 each of those clauses .

Appendix A. Acknowledgments

The following individuals have participated in the creation of this specification and are gratefully acknowledged:

Participants:

Gil Abel, Athena Smartcard Solutions, Inc.
Warren Armstrong, QuintessenceLabs
Jeff Bartell, Semper ~~Foris~~Fortis Solutions LLC
Peter Bartok, Venafi, Inc.
Anthony Berglas, Cryptsoft
Joseph Brand, Semper Fortis Solutions LLC
Kelley Burgin, National Security Agency
Robert Burns, Thales e-Security
Wan-Teh Chang, Google Inc.
Hai-May Chao, Oracle
Janice Cheng, Vormetric, Inc.
Sangrae Cho, Electronics and Telecommunications Research Institute (ETRI)
Doron Cohen, SafeNet, Inc.
Fadi Cotran, Futurex
Tony Cox, Cryptsoft
Christopher Duane, EMC
Chris Dunn, SafeNet, Inc.
Valerie Fenwick, Oracle
Terry Fletcher, SafeNet, Inc.
Susan Gleeson, Oracle
Sven Gossel, Charismathics
John Green, QuintessenceLabs
Robert Griffin, EMC
Paul Grojean, Individual
Peter Gutmann, Individual
Dennis E. Hamilton, Individual
Thomas Hardjono, M.I.T.
Tim Hudson, Cryptsoft
Gershon Janssen, Individual
Seunghun Jin, Electronics and Telecommunications Research Institute (ETRI)
Wang Jingman, Feitan Technologies
Andrey Jivsov, Symantec Corp.
Mark Joseph, P6R
Stefan Kaesar, Infineon Technologies
Greg Kazmierczak, Wave Systems Corp.

1886 Mark Knight, Thales e-Security
1887 Darren Krahn, Google Inc.
1888 Alex Krasnov, Infineon Technologies AG
1889 Dina Kurktchi-Nimeh, Oracle
1890 Mark Lambiase, SecureAuth Corporation
1891 Lawrence Lee, GoTrust Technology Inc.
1892 John Leiseboer, QuintessenceLabs
1893 Sean Leon, Infineon Technologies
1894 Geoffrey Li, Infineon Technologies
1895 Howie Liu, Infineon Technologies
1896 Hal Lockhart, Oracle
1897 Robert Lockhart, Thales e-Security
1898 Dale Moberg, Axway Software
1899 Darren Moffat, Oracle
1900 Valery Osheter, SafeNet, Inc.
1901 Sean Parkinson, EMC
1902 Rob Philpott, EMC
1903 Mark Powers, Oracle
1904 Ajai Puri, SafeNet, Inc.
1905 Robert Relyea, Red Hat
1906 Saikat Saha, Oracle
1907 Subhash Sankuratipati, NetApp
1908 Anthony Scarpino, Oracle
1909 Johann Schoetz, Infineon Technologies AG
1910 Rayees Shamsuddin, Wave Systems Corp.
1911 Radhika Siravara, Oracle
1912 Brian Smith, Mozilla Corporation
1913 David Smith, Venafi, Inc.
1914 Ryan Smith, Futurex
1915 Jerry Smith, US Department of Defense (DoD)
1916 Oscar So, Oracle
1917 Graham Steel, Cryptosense
1918 Michael Stevens, QuintessenceLabs
1919 Michael StJohns, Individual
1920 Jim Susoy, P6R
1921 Sander Temme, Thales e-Security
1922 Kiran Thota, VMware, Inc.
1923 Walter-John Turnes, Gemini Security Solutions, Inc.
1924 Stef Walter, Red Hat
1925 James Wang, Vormetric
1926 Jeff Webb, Dell
1927 Peng Yu, Feitian Technologies

- 1928 Magda Zdunkiewicz, Cryptsoft
- 1929 Chris Zimman, Individual

Appendix B. Manifest constants

The following constants have been defined for PKCS #11 V2.40. Also, refer to **[PKCS #11-Base]** and **[PKCS #11-Curr]** for additional definitions.

```
/*  
 * Copyright OASIS Open 2014. All rights reserved.  
 * OASIS trademark, IPR and other policies apply.  
 * http://www.oasis-open.org/policies-guidelines/ipr  
 */  
  
#define CKK_KEA 0x00000005  
#define CKK_RC2 0x00000011  
#define CKK_RC4 0x00000012  
#define CKK_DES 0x00000013  
#define CKK_CAST 0x00000016  
#define CKK_CAST3 0x00000017  
#define CKK_CAST5 0x00000018  
#define CKK_CAST128 0x00000018  
#define CKK_RC5 0x00000019  
#define CKK_IDEA 0x0000001A  
#define CKK_SKIPJACK 0x0000001B  
#define CKK_BATON 0x0000001C  
#define CKK_JUNIPER 0x0000001D  
#define CKM_MD2_RSA_PKCS 0x00000004  
#define CKM_MD5_RSA_PKCS 0x00000005  
#define CKM_RIPEMD128_RSA_PKCS 0x00000007  
#define CKM_RIPEMD160_RSA_PKCS 0x00000008  
#define CKM_RC2_KEY_GEN 0x00000100  
#define CKM_RC2_ECB 0x00000101  
#define CKM_RC2_CBC 0x00000102  
#define CKM_RC2_MAC 0x00000103  
#define CKM_RC2_MAC_GENERAL 0x00000104  
#define CKM_RC2_CBC_PAD 0x00000105  
#define CKM_RC4_KEY_GEN 0x00000110  
#define CKM_RC4 0x00000111  
#define CKM_DES_KEY_GEN 0x00000120  
#define CKM_DES_ECB 0x00000121  
#define CKM_DES_CBC 0x00000122  
#define CKM_DES_MAC 0x00000123  
#define CKM_DES_MAC_GENERAL 0x00000124  
#define CKM_DES_CBC_PAD 0x00000125  
#define CKM_MD2 0x00000200  
#define CKM_MD2_HMAC 0x00000201  
#define CKM_MD2_HMAC_GENERAL 0x00000202  
#define CKM_MD5 0x00000210  
#define CKM_MD5_HMAC 0x00000211  
#define CKM_MD5_HMAC_GENERAL 0x00000212  
#define CKM_RIPEMD128 0x00000230  
#define CKM_RIPEMD128_HMAC 0x00000231  
#define CKM_RIPEMD128_HMAC_GENERAL 0x00000232  
#define CKM_RIPEMD160 0x00000240  
#define CKM_RIPEMD160_HMAC 0x00000241  
#define CKM_RIPEMD160_HMAC_GENERAL 0x00000242  
#define CKM_CAST_KEY_GEN 0x00000300  
#define CKM_CAST_ECB 0x00000301  
#define CKM_CAST_CBC 0x00000302  
#define CKM_CAST_MAC 0x00000303  
#define CKM_CAST_MAC_GENERAL 0x00000304  
#define CKM_CAST_CBC_PAD 0x00000305  
#define CKM_CAST3_KEY_GEN 0x00000310
```

```

1989 #define CKM_CAST3_ECB 0x00000311
1990 #define CKM_CAST3_CBC 0x00000312
1991 #define CKM_CAST3_MAC 0x00000313
1992 #define CKM_CAST3_MAC_GENERAL 0x00000314
1993 #define CKM_CAST3_CBC_PAD 0x00000315
1994 #define CKM_CAST5_KEY_GEN 0x00000320
1995 #define CKM_CAST128_KEY_GEN 0x00000320
1996 #define CKM_CAST5_ECB 0x00000321
1997 #define CKM_CAST128_ECB 0x00000321
1998 #define CKM_CAST5_CBC 0x00000322
1999 #define CKM_CAST128_CBC 0x00000322
2000 #define CKM_CAST5_MAC 0x00000323
2001 #define CKM_CAST128_MAC 0x00000323
2002 #define CKM_CAST5_MAC_GENERAL 0x00000324
2003 #define CKM_CAST128_MAC_GENERAL 0x00000324
2004 #define CKM_CAST5_CBC_PAD 0x00000325
2005 #define CKM_CAST128_CBC_PAD 0x00000325
2006 #define CKM_RC5_KEY_GEN 0x00000330
2007 #define CKM_RC5_ECB 0x00000331
2008 #define CKM_RC5_CBC 0x00000332
2009 #define CKM_RC5_MAC 0x00000333
2010 #define CKM_RC5_MAC_GENERAL 0x00000334
2011 #define CKM_RC5_CBC_PAD 0x00000335
2012 #define CKM_IDEA_KEY_GEN 0x00000340
2013 #define CKM_IDEA_ECB 0x00000341
2014 #define CKM_IDEA_CBC 0x00000342
2015 #define CKM_IDEA_MAC 0x00000343
2016 #define CKM_IDEA_MAC_GENERAL 0x00000344
2017 #define CKM_IDEA_CBC_PAD 0x00000345
2018 #define CKM_MD5_KEY_DERIVATION 0x00000390
2019 #define CKM_MD2_KEY_DERIVATION 0x00000391
2020 #define CKM_PBE_MD2_DES_CBC 0x000003A0
2021 #define CKM_PBE_MD5_DES_CBC 0x000003A1
2022 #define CKM_PBE_MD5_CAST_CBC 0x000003A2
2023 #define CKM_PBE_MD5_CAST3_CBC 0x000003A3
2024 #define CKM_PBE_MD5_CAST5_CBC 0x000003A4
2025 #define CKM_PBE_MD5_CAST128_CBC 0x000003A4
2026 #define CKM_PBE_SHA1_CAST5_CBC 0x000003A5
2027 #define CKM_PBE_SHA1_CAST128_CBC 0x000003A5
2028 #define CKM_PBE_SHA1_RC4_128 0x000003A6
2029 #define CKM_PBE_SHA1_RC4_40 0x000003A7
2030 #define CKM_PBE_SHA1_RC2_128_CBC 0x000003AA
2031 #define CKM_PBE_SHA1_RC2_40_CBC 0x000003AB
2032 #define CKM_KEY_WRAP_LYNKS 0x00000400
2033 #define CKM_KEY_WRAP_SET_OAEP 0x00000401
2034 #define CKM_SKIPJACK_KEY_GEN 0x00001000
2035 #define CKM_SKIPJACK_ECB64 0x00001001
2036 #define CKM_SKIPJACK_CBC64 0x00001002
2037 #define CKM_SKIPJACK_OFB64 0x00001003
2038 #define CKM_SKIPJACK_CFB64 0x00001004
2039 #define CKM_SKIPJACK_CFB32 0x00001005
2040 #define CKM_SKIPJACK_CFB16 0x00001006
2041 #define CKM_SKIPJACK_CFB8 0x00001007
2042 #define CKM_SKIPJACK_WRAP 0x00001008
2043 #define CKM_SKIPJACK_PRIVATE_WRAP 0x00001009
2044 #define CKM_SKIPJACK_RELAYX 0x0000100a
2045 #define CKM_KEA_KEY_PAIR_GEN 0x00001010
2046 #define CKM_KEA_KEY_DERIVE 0x00001011
2047 #define CKM_FORTEZZA_TIMESTAMP 0x00001020
2048 #define CKM_BATON_KEY_GEN 0x00001030
2049 #define CKM_BATON_ECB128 0x00001031
2050 #define CKM_BATON_ECB96 0x00001032
2051 #define CKM_BATON_CBC128 0x00001033
2052 #define CKM_BATON_COUNTER 0x00001034

```

2053 ~~#define CKM_BATON_SHUFFLE 0x00001035~~
2054 ~~#define CKM_BATON_WRAP 0x00001036~~
2055 ~~#define CKM_JUNIPER_KEY_GEN 0x00001060~~
2056 ~~#define CKM_JUNIPER_ECB128 0x00001061~~
2057 ~~#define CKM_JUNIPER_CBC128 0x00001062~~
2058 ~~#define CKM_JUNIPER_COUNTER 0x00001063~~
2059 ~~#define CKM_JUNIPER_SHUFFLE 0x00001064~~
2060 ~~#define CKM_JUNIPER_WRAP 0x00001065~~
2061 ~~#define CKM_FASTHASH 0x00001070~~

2062
2063
2064 The definitions for manifest constants specified in this document can be found in the following normative
2065 computer language definition files:

- 2066 • [include/pkcs11-v2.40/pkcs11.h](#)
- 2067 • [include/pkcs11-v2.40/pkcs11t.h](#)
- 2068 • [include/pkcs11-v2.40/pkcs11f.h](#)

2069 These files are linked from the Related Work section at the top of this specification.

Appendix C. Revision History

Revision	Date	Editor	Changes Made
wd01	May 16, 2013	Susan Gleeson	Initial Template import
wd02	July 7, 2013	Susan Gleeson	Fix references, add participants list, minor cleanup
wd03	October 27, 2013	Robert Griffin	Final participant list and other editorial changes for Committee Specification Draft
csd01	October 30, 2013	OASIS	Committee Specification Draft
wd04	February 19, 2014	Susan Gleeson	Incorporate changes from v2.40 public review
wd05	February 20, 2014	Susan Gleeson	Regenerate table of contents (oversight from wd04)
WD06	February 21, 2014	Susan Gleeson	Remove CKM_PKCS5_PBKD2 from the mechanisms in Table 1.
csd02	April 23, 2014	OASIS	Committee Specification Draft
csd02a	Sep 3 2014	Robert Griffin	Updated revision history and participant list in preparation for Committee Specification ballot
wd07	Nov 3 2014	Robert Griffin	Editorial corrections
os	Apr 14 2015	OASIS	OASIS Standard
os-rev01	Dec 9 2015	Robert Griffin / Tim Hudson	Change bar edits corresponding to Errata01